



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Subway #23194				DATE 5/26/2020		TIME IN 2:25 PM		TIME OUT 3:45 PM	
ADDRESS 2279 Eagle Glen Pkwy #106, Corona, CA 92881				FACILITY DESCRIPTION Not Applicable					
PERMIT HOLDER Orwick Corona Restaurants LLC				EMAIL admin@subwayforlife.com				Major Violations 0	
PERMIT # PR0067643	EXPIRATION DATE 05/31/2020	SERVICE Routine inspection	REINSPECTION DATE Next Routine	FACILITY PHONE # (909)985-9504	PE 2620	DISTRICT 0051	INSPECTOR NAME Sarah Miller	Points Deducted 7	

The conditions listed below correspond to violations of the California Health and Safety Code and/or Riverside County Ordinances and must be corrected as indicated by the enforcement officer. The Department of Environmental Health appreciates your cooperation.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge determined by Riverside County Ordinance 640.

Major / Minor Violations: Major Violations are those that pose an imminent risk to public health and warrant immediate closure of the food facility or immediate correction. Minor Violations are those violations that do not pose an imminent public health risk, but do warrant correction.
GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 Passed inspection / meets minimum health standards. B = 89-80 Did not pass inspection / does not meet minimum health standards. C = 79-0 Failed inspection / conditions exist which may pose a potential or actual threat to public health and safety. The facility is required to display a grade card in a conspicuous place selected by the Enforcement Officer. The grade card shall not be concealed and can only be removed or relocated by the Enforcement Officer per County Ordinance 492 / County Code Section 8.40.020

A
SCORE 93

☒ In = In compliance ☒ COS = Corrected on-site ☐ N/O = Not observed ☐ N/A = Not applicable ☐ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE		COS	MAJ	OUT
<input checked="" type="radio"/> In	N/A 1. Food safety certification Stephanie Paniagua-Gonzalez; ServSafe 2/13/2020			2
EMPLOYEE HEALTH AND HYGIENIC PRACTICES				
<input checked="" type="radio"/> In	2. Communicable disease; reporting, restrictions and exclusions		4	
<input checked="" type="radio"/> In	N/O 3. No persistent discharge from eyes, nose, and mouth			2
<input checked="" type="radio"/> In	N/O 4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS				
<input checked="" type="radio"/> In	N/O 5. Hands clean and properly washed; gloves used properly		4	2
<input checked="" type="radio"/> In	6. Adequate handwashing facilities supplied and accessible			2
TIME AND TEMPERATURE RELATIONSHIPS				
<input checked="" type="radio"/> In	N/O N/A 7. Proper hot and cold holding temperatures		4	2
<input checked="" type="radio"/> In	N/O <input type="radio"/> N/A 8. Time as a public health control; procedures and records		4	2
<input checked="" type="radio"/> In	<input type="radio"/> N/O N/A 9. Proper cooling methods		4	2
<input checked="" type="radio"/> In	<input type="radio"/> N/O N/A 10. Proper cooking time and temperature		4	2
<input checked="" type="radio"/> In	<input type="radio"/> N/O N/A 11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION				
<input checked="" type="radio"/> In	<input type="radio"/> N/O N/A 12. Returned and re-service of food			2
<input checked="" type="radio"/> In	13. Food: unadulterated, no spoilage, no contamination		4	2
<input checked="" type="radio"/> In	N/O N/A 14. Food contact surfaces: clean and sanitized Quaternary ammonia; 200ppm /		4	2

FOOD FROM APPROVED SOURCES		COS	MAJ	OUT
<input checked="" type="radio"/> In	15. Food obtained from approved sources		4	2
<input checked="" type="radio"/> In	N/O <input type="radio"/> N/A 16. Compliance with shell stock tags, condition, display			2
<input checked="" type="radio"/> In	N/O <input type="radio"/> N/A 17. Compliance with Gulf Oyster regulations			2
CONFORMANCE WITH APPROVED PROCEDURES				
<input checked="" type="radio"/> In	<input type="radio"/> N/A 18. Compliance with variance, specialized process, and HACCP plan			2
CONSUMER ADVISORY				
<input checked="" type="radio"/> In	<input type="radio"/> N/A 19. Written disclosure and reminder statements provided for raw or undercooked foods			1
SCHOOL AND HEALTHCARE PROHIBITED FOODS				
<input checked="" type="radio"/> In	<input type="radio"/> N/A 20. Licensed health care facilities / public and private schools; prohibited foods not offered		4	2
WATER / HOT WATER				
<input checked="" type="radio"/> In	21. Hot and cold water available		4	2
Water Temperature 120°F				
LIQUID WASTE DISPOSAL				
<input checked="" type="radio"/> In	22. Sewage and wastewater properly disposed		4	2
VERMIN				
<input checked="" type="radio"/> In	23. No rodents, insects, birds, or animals		4	<input checked="" type="radio"/> 2
<input checked="" type="radio"/> In	N/A 24. Vermin proofing, air curtains, self-closing doors			1

SUPERVISION / PERSONAL CLEANLINESS	OUT
25. Person in charge present and performs duties, demonstration of knowledge	2
26. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
27. Approved thawing methods, frozen food storage	<input checked="" type="radio"/> 1
28. Food separated and protected from contamination	2
29. Washing fruits and vegetables	1
30. Toxic substances properly identified, stored, used	1
FOOD STORAGE / DISPLAY / SERVICE	
31. Adequate food storage; food storage containers identified	1
32. Consumer self-service	1
33. Food properly labeled; honestly presented; menu labeling	1

EQUIPMENT / UTENSILS / LINENS	OUT
34. Utensils and equipment approved, good repair	1
35. Warewashing: installed, maintained, proper use, test materials	1
36. Equipment / utensils: installed, clean, adequate capacity	<input checked="" type="radio"/> 1
37. Equipment, utensils, and linens: storage and use	1
38. Adequate ventilation and lighting; designated areas, use	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: properly installed, good repair	<input checked="" type="radio"/> 1
42. Refuse properly disposed; facilities maintained	1
43. Toilet facilities: properly constructed, supplied, cleaned	1
44. Premises; personal item storage and cleaning item storage	<input checked="" type="radio"/> 1

PERMANENT FOOD FACILITIES	OUT
45. Floors, walls, ceilings: good repair / fully enclosed	<input checked="" type="radio"/> 1
46. Floors, walls, and ceilings: clean	1
47. No unapproved private homes / living or sleeping quarters	1
SIGNS / REQUIREMENTS	
48. Last inspection report available	
49. Food Handler certifications available, current, and complete	1
50. Grade card and signs posted, visible	
COMPLIANCE AND ENFORCEMENT	
51. Plans approved / submitted	
52. Permit available / current	
53. Permit suspended / revoked	
54. Voluntary condemnation	
55. Impound	



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Subway #23194	DATE 5/26/2020	PERMIT # PR0067643
--------------------------------	-------------------	-----------------------

23. NO RODENTS, INSECTS, BIRDS, OR ANIMALS

POINTS

2

Inspector Comments: Observed rodent droppings throughout the facility along the floor/wall junction, including near the warewash sink, the self-service soda machine, behind the bread proofers, under the register, in the dry storage area, and near the mop sink. Ensure floors throughout the entire facility are cleaned in an approved manner. A reinspection has been scheduled for 24 hours to ensure no fresh droppings are present after clean up. Manager stated that Terminix will be back to service the facility this evening. Ensure invoice will be available at the reinspection.

Note: Previous Terminix invoice was reviewed at the time of inspection. 10 rodent traps were placed in the facility on 5/22/2020, and according to the person in charge, 4 of those traps caught mice on 5/24/2020. No evidence of entry points was observed at this time.

Violation Description: Each food facility shall be kept free of vermin. Only approved animals, such as service animals or decorative fish in aquariums, are permitted inside a food facility. (114259.1, 114259.4, 114259.5)

27. APPROVED THAWING METHODS USED, FROZEN FOOD STORAGE

POINTS

1

Inspector Comments: Observed packages of frozen, sliced meat thawing on top of the prep sink. Discontinue this practice as it is not an approved method of thawing. PIC immediately placed the meat under running water to thaw properly.

Violation Description: Food shall be thawed in an approved manner: under refrigeration, completely submerged under cool running water of sufficient velocity to flush loose particles, in microwave oven, during the cooking process. (114018, 114020)

36. EQUIPMENT / UTENSILS PROPERLY INSTALLED, CLEAN; ADEQUATE CAPACITY

POINTS

1

Inspector Comments: Observed rust and mold growth on the ice deflector shield. Ensure ice deflector shield is properly cleaned and sanitized.

Violation Description: All utensils and equipment shall be clean and installed in an approved manner. Equipment type and quantity shall be adequate for the operation. (114115, 114130.3, 114139, 114153, 114163, 114165, 114167, 114169, 114175, 114180, 114182, 114257)

41. PLUMBING: PROPERLY INSTALLED, GOOD REPAIR

POINTS

1

Inspector Comments: Observed the floor drains to the 3 compartment sink and self-service soda machine resting inside the floor drain. An air gap between the water supply inlet and the flood level rim of the floor sink shall be at least twice the diameter of the water supply inlet and may not be less than one inch. Ensure there is a proper air gap between the top of the floor sink and the bottom of the drain. This is a repeated violation.

Violation Description: All plumbing shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. All food-related equipment drain lines must discharge through an approved indirect connection. Any hose used for conveying potable water shall be made from approved material and used for no other purpose. (114171, 114189.1, 114190, 114192(b,c), 114193, 114193.1, 114199, 114201, 114269)

44. PREMISES; PERSONAL ITEM STORAGE AND CLEANING ITEM STORAGE

POINTS

1

Inspector Comments: Observed personal drink without lid stored on top of the microwave. All personal drinks are to be maintained covered and stored in a manner to prevent contamination. Store all personal items in lockers or other approved designated area.

Violation Description: Lockers or another approved area for personal belongings shall be provided. The premises of each food facility shall be kept clean and free of litter and items that are unnecessary to the operation or maintenance of the facility. At least one janitorial sink with hot and cold running water shall be provided. Cleaning supplies and equipment shall be stored separate from food and food-related areas. Mops shall be stored in such a way that allows air-drying. (114123, 114256, 114256.1, 114256.2, 114256.4, 114257.1, 114279, 114281, 114282)

45. FLOORS, WALLS, CEILING: GOOD REPAIR / FULLY ENCLOSED

POINTS

1

Inspector Comments: Observed cove tiles separated from the wall in the following areas: Near the front handwash sink, near the bread oven, in the back storage area, and around the walk-in coolers. Properly seal cove tiles to the wall. This is a repeat violation.

Violation Description: The floors, walls, ceilings finishes must be of an approved material, durable, smooth, nonabsorbent, and easily cleanable. Food facilities shall be fully enclosed. (114143 (d), 114257, 114266, 114268, 114271, 114272)



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Subway #23194	DATE 5/26/2020	PERMIT # PR0067643
--------------------------------	-------------------	-----------------------

Overall Inspection Comments

This routine inspection was conducted with a complaint investigation (CO0073839).

A reinspection will be conducted tomorrow, 5/27/2020, to verify cleaning due to rodent droppings. See above for further details.

Did you know that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 171425 of the Civil Code and Sections 114432 to 114434 inclusive of the Health and Safety Code. For more information visit our website at www.rivcoeh.org.

Signature

Emailed
Person in Charge
05/26/2020

Sarah Miller
Environmental Health Specialist
05/26/2020

REASONS FOR IMMEDIATE CLOSURE OF A FOOD FACILITY

Per California Health and Safety Code Section 114409 (a):

"If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."


A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, Per California Health and Safety Code Section 114411:

"The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

No foil or cardboard on shelves!



PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS

Ready-to-Eat Food


Cooked Food

Raw Meat, Raw Eggs

Store cooked and ready-to-eat food above raw food to avoid cross-contamination. Keep all food covered to prevent contamination.

MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A THREE COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink. Use one of the following sanitizing methods:
 - 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
 - 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
 - 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
 - Water at a temperature of 171°F for a minimum of 30 seconds in solution
5. **AIR DRY** all items on the drain board.



PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

TIME IS THE KEY FACTOR IN PROPER COOLING

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper timeframes.

PROPER FOOD THAWING METHODS



1. Under refrigeration
2. In a microwave oven on "defrost"
3. Submerged under cold running water in an approved preparation sink for no longer than 2 hours
4. As part of the cooking process



INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

135°F	145°F	145°F	145°F	155°F	155°F	165°F	165°F
for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds	for 15 seconds

Food temperature cannot be felt - use your probe thermometer!



FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

BLYTHE
260 N Broadway
Blythe, CA 92225
Phone 760-921-5090
Fax 760-921-5085

CORONA
2275 S Main St #204
Corona, CA 92882
Phone 951-273-9140
Fax 951-520-8319

HEMET
800 S Sanderson Ave #200
Hemet, CA 92545
Phone 951-766-2824
Fax 951-766-7874

INDIO
47-950 Arabia St #A
Indio, CA 92201
Phone 760-863-8287
Fax 760-863-8303

MURRIETA
30135 Technology Dr #250
Murrieta, CA 92563
Phone 951-461-0284
Fax 951-461-0245

PALM SPRINGS
554 S Paseo Dorotea
Palm Springs, CA 92264
Phone 760-320-1048
Fax 760-320-1470

RIVERSIDE
4065 County Circle Dr #104
Riverside, CA 92503
Phone 951-358-5172
Fax 951-358-5017