




County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
 www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Amy's				DATE 7/28/2020	TIME IN 10:30 AM	TIME OUT 11:30 AM
ADDRESS 10635 Magnolia Ave, Riverside, CA 92505				FACILITY DESCRIPTION Not Applicable		
PERMIT HOLDER Maria Alejandra Fragoso Serrano				EMAIL amysrestaurant10@gmail.com		Major Violations 2
PERMIT # PR0068998	EXPIRATION DATE 12/31/2020	SERVICE Routine inspection	REINSPECTION DATE Next Routine	FACILITY PHONE # (951)689-0296	PE 3620	DISTRICT 0004
INSPECTOR NAME Richard Conant					Points Deducted 9	

The conditions listed below correspond to violations of the California Health and Safety Code and/or Riverside County Ordinances and must be corrected as indicated by the enforcement officer. The Department of Environmental Health appreciates your cooperation.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge determined by Riverside County Ordinance 640.



Major / Minor Violations: Major Violations are those that pose an imminent risk to public health and warrant immediate closure of the food facility or immediate correction. Minor Violations are those violations that do not pose an imminent public health risk, but do warrant correction.

GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 Passed inspection / meets minimum health standards. B = 89-80 Did not pass inspection / does not meet minimum health standards. C = 79-0 Failed inspection / conditions exist which may pose a potential or actual threat to public health and safety. The facility is required to display a grade card in a conspicuous place selected by the Enforcement Officer. The grade card shall not be concealed and can only be removed or relocated by the Enforcement Officer per County Ordinance 492 / County Code Section 8.40.020

○ In = In compliance + COS = Corrected on-site ○ N/O = Not observed ○ N/A = Not applicable ○ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE				COS	MAJ	OUT
In	N/A	1. Food safety certification Maria Serrano				2
EMPLOYEE HEALTH AND HYGIENIC PRACTICES						
In		2. Communicable disease; reporting, restrictions and exclusions			4	
In	N/O	3. No persistent discharge from eyes, nose, and mouth				2
In	N/O	4. Proper eating, tasting, drinking or tobacco use				2
PREVENTING CONTAMINATION BY HANDS						
In	N/O	5. Hands clean and properly washed; gloves used properly			4	2
In		6. Adequate handwashing facilities supplied and accessible				2
TIME AND TEMPERATURE RELATIONSHIPS						
In	N/O	N/A	7. Proper hot and cold holding temperatures		4	2
In	N/O	N/A	8. Time as a public health control; procedures and records		4	2
In	N/O	N/A	9. Proper cooling methods		4	2
In	N/O	N/A	10. Proper cooking time and temperature		4	2
In	N/O	N/A	11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION						
In	N/O	N/A	12. Returned and re-service of food			2
In			13. Food: unadulterated, no spoilage, no contamination		4	2
In	N/O	N/A	14. Food contact surfaces: clean and sanitized / 3-compartment sink ok with auto fill sanitizer set at 200ppm		4	2

FOOD FROM APPROVED SOURCES				COS	MAJ	OUT
In			15. Food obtained from approved sources		4	2
In	N/O	N/A	16. Compliance with shell stock tags, condition, display			2
In	N/O	N/A	17. Compliance with Gulf Oyster regulations			2
CONFORMANCE WITH APPROVED PROCEDURES						
In		N/A	18. Compliance with variance, specialized process, and HACCP plan			2
CONSUMER ADVISORY						
In		N/A	19. Written disclosure and reminder statements provided for raw or undercooked foods			1
SCHOOL AND HEALTHCARE PROHIBITED FOODS						
In		N/A	20. Licensed health care facilities / public and private schools; prohibited foods not offered		4	2
WATER / HOT WATER						
In			21. Hot and cold water available Water Temperature 120 Degrees F.°F		4	2
LIQUID WASTE DISPOSAL						
In			22. Sewage and wastewater properly disposed		4	2
VERMIN						
In			23. No rodents, insects, birds, or animals		4	2
In		N/A	24. Vermin proofing, air curtains, self-closing doors			1

SUPERVISION / PERSONAL CLEANLINESS	OUT
25. Person in charge present and performs duties, demonstration of knowledge	2
26. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
27. Approved thawing methods, frozen food storage	1
28. Food separated and protected from contamination	2
29. Washing fruits and vegetables	1
30. Toxic substances properly identified, stored, used	1
FOOD STORAGE / DISPLAY / SERVICE	
31. Adequate food storage; food storage containers identified	1
32. Consumer self-service	1
33. Food properly labeled; honestly presented; menu labeling	1

EQUIPMENT / UTENSILS / LINENS	OUT
34. Utensils and equipment approved, good repair	1
35. Warewashing: installed, maintained, proper use, test materials	1
36. Equipment / utensils: installed, clean, adequate capacity	1
37. Equipment, utensils, and linens: storage and use	1
38. Adequate ventilation and lighting; designated areas, use	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: properly installed, good repair	1
42. Refuse properly disposed; facilities maintained	1
43. Toilet facilities: properly constructed, supplied, cleaned	1
44. Premises; personal item storage and cleaning item storage	1

PERMANENT FOOD FACILITIES	OUT
45. Floors, walls, ceilings: good repair / fully enclosed	1
46. Floors, walls, and ceilings: clean	1
47. No unapproved private homes / living or sleeping quarters	1
SIGNS / REQUIREMENTS	
48. Last inspection report available	
49. Food Handler certifications available, current, and complete	1
50. Grade card and signs posted, visible	
COMPLIANCE AND ENFORCEMENT	
51. Plans approved / submitted	
52. Permit available / current	
53. Permit suspended / revoked	
54. Voluntary condemnation	
55. Impound	



FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Amy's	DATE 7/28/2020	PERMIT # PR0068998
-------------------------------	--------------------------	------------------------------

7. PROPER HOT & COLD HOLDING TEMPERATURES **⚠ CRITICAL ⚠**

POINTS
4

Inspector Comments: Walk in cooler: walk in cooler measured ambient temperature over 53 degrees F. internal temperature of foods measured between 45-48 degrees F. Measured whole lemon and whole peeled and cooked potatoe stored in walk in overnight, measuring 45 degrees F. Picked these itmes due to inspector sanitizer wipes were dried out, so measured internal temperature of product that may be discarded after probing. Walk in cooler has compressor with the side panel removed and/or off to side of unit. and unit n very poor sanitation condition with dust collected throughout. clean dust and repair compressor to be fully operational and in proper repair. This will be checked at time of re-inspection.

2. reach in cooler unit (Owner states the unit was broken at time of entrance. using ice to keep foods 41 degrees inside the top preparation portion of unit. observed grated potatoes inside bottom of unit which is not operational. measured 45 degrees F. owner placed in walk in. do not store any foods inside the bottom of broken unit until unit is repaired and holding 41 degrees F. owners states the work order is in, but repair tech may not get to it until one week as per owner. due to unit under warranty, she must wait for warranty tech service only to keep warranty active. make sure ice is constantly replaced as it melts. this is near the oven/grill, so melting of ice will happen fast. keep ice in abundance at preparation

As a result of the walk in cooler in poor condition and not holding 41 degrees F. the facility has no other area for keeping foods cool other than small units which will not be adequate to place all foods inside from walk in. Therefore, this faciltiy must remain closed until such time as the cooler unit is repaired and holding 41 degrees F. if any foods go above 50 degrees F. while inside walk in, please discard. do not open walk in doors as much as possible to keep cold air inside. This unit loses cold air quickly when door is opened. This does not happen to a commercial walk in when the unit is operating properly.

NOTE: owner states the tech person on phone states it is in defrost mode, however defrost mode may not be in middle of day when the doors are opened and closed constantly. keep defrost cycle during closed hours. if by chance defrosting must be done while open for business, let it be the end of the evening before closing.

Violation Description: Potentially hazardous food shall be held at or below 41°F / 45°F or at or above 135°F. Potentially hazardous food removed from proper holding temperature during preparation must be returned to proper temperature within 2 hours. Potentially hazardous food shall be received at proper temperature without evidence of temperature abuse. (113996, 113998, 114037)

14. FOOD CONTACT SURFACES; CLEAN AND SANITIZED **⚠ CRITICAL ⚠**

POINTS
4

Inspector Comments: Dishwasher with chlorine sanitizer not measuring chlorine residule. repair unit to allow for 50ppm Chlorine sanitizer solution during the rinse/sanitize cycle.

Do not use dish washer until unit is fixed and measuring 50ppm chlorine residual.

Violation Description: All food contact surfaces of utensils and equipment shall be properly cleaned and sanitized. Food contact surfaces shall be clean to the sight and touch, no accumulation of dust, dirt, food residue, and other debris. (114097, 114099.1, 114099.2, 114099.4, 114099.6, 114099.7, 114101(b-d), 114105, 114109, 114111, 114113, 114115, 114117, 114118, 114123, 114125(b), 114130.2, 114130.5, 114141)

45. FLOORS, WALLS, CEILING: GOOD REPAIR / FULLY ENCLOSED

POINTS
1

Inspector Comments: ceiling tile where conduits come through has gap in ceiling tile. close all gaps in any ceiling tile or wall to prevent vector access.

Violation Description: The floors, walls, ceilings finishes must be of an approved material, durable, smooth, nonabsorbent, and easily cleanable. Food facilities shall be fully enclosed. (114143 (d), 114257, 114266, 114268, 114271, 114272)

84. COVID 19 - FOLLOWING STATE OF CALIFORNIA GUIDELINES

POINTS
0

Inspector Comments: Observed in compliance with Industry Guidance. outside seating had all 4 sides enclosed at time of inspection. Education conducted and at least 3 walls must be open to air flow. Employees began to change at time of inspection. all other aspects are ok, employees wearing masks, social distancing, no temperature checks observed. Facility closed for dine in service.



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Amy's	DATE 7/28/2020	PERMIT # PR0068998
------------------------	-------------------	-----------------------

Overall Inspection Comments

Due to the walk in cooler measuring over 50 degrees F. with internal temperatures between 45-48 degrees F. the facility is hereby closed until such time as a re-inspection of walk in cooler measures 41 degrees internal food temperature. Unit has compressor inside the cooler unit with side panel in poor condition. dust has inundated the compressor fan and outside of unit. clean fan, unit and ceiling of dust collected prior to re-opening. Call 951-358-5172 for re-inspection once the walk in cooler is repaired and holding 41 degrees F. internal food temperature. Note: the reach in cooler unit is ok for use with ice on top portion only during peak business hours only. have unit repaired as soon as possible. owner states work order in place. waiting for service. NOTE: this approval for reach in preparation unit being used with ice is conditioned only if ice is fully stocked inside containers holding foods at all times. ice melts fast in this area and it must be replenished often enough to keep foods 41 degrees F. This is a limited approval only if this condition is met 100%.

Did you know that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 171425 of the Civil Code and Sections 114432 to 114434 inclusive of the Health and Safety Code. For more information visit our website at www.rivcoeh.org.

Signature

Maria Serrano (Owner)
Person in Charge
07/28/2020

Richard Conant (Inspector)
Person in Charge
07/28/2020

REASONS FOR IMMEDIATE CLOSURE OF A FOOD FACILITY

Per California Health and Safety Code Section 114409 (a):
 "If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, Per California Health and Safety Code Section 114411:

"The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS

Ready-to-Eat Food

Cooked Food

Raw Meat, Raw Eggs

Store cooked and ready-to-eat food above raw food to avoid cross-contamination. Keep all food covered to prevent contamination.

MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A THREE COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink. Use one of the following sanitizing methods:
 - 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
 - 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
 - 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
 - Water at a temperature of 171°F for a minimum of 30 seconds in solution
5. **AIR DRY** all items on the drain board.



PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

TIME IS THE KEY FACTOR IN PROPER COOLING

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper timeframes.

PROPER FOOD THAWING METHODS

1. Under refrigeration
2. In a microwave oven on "defrost"
3. Submerged under cold running water in an approved preparation sink for no longer than 2 hours
4. As part of the cooking process

INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

135°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	155°F for 15 seconds	155°F for 15 seconds	165°F for 15 seconds	165°F for 15 seconds

Food temperature cannot be felt - use your probe thermometer!

FOOD ALLERGENS

THE MAJOR 8

FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

BLYTE 260 N Broadway Blythe, CA 92225 Phone 760-921-5090 Fax 760-921-5085	CORONA 2275 S Main St #204 Corona, CA 92882 Phone 951-273-9140 Fax 951-520-8319	HEMET 800 S Sanderson Ave #200 Hemet, CA 92545 Phone 951-766-2824 Fax 951-766-7874	INDIO 47-950 Arabia St #A Indio, CA 92201 Phone 760-863-8287 Fax 760-863-8303	MURRIETA 30135 Technology Dr #250 Murrieta, CA 92563 Phone 951-461-0284 Fax 951-461-0245	PALM SPRINGS 554 S Paseo Dorotea Palm Springs, CA 92264 Phone 760-320-1048 Fax 760-320-1470	RIVERSIDE 4065 County Circle Dr #104 Riverside, CA 92503 Phone 951-358-5172 Fax 951-358-5017
--	--	---	--	---	--	---