



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Terra Lago Golf Club				DATE 6/23/2022		TIME IN 8:35 AM		TIME OUT 11:00 AM	
ADDRESS 84000 Terra Lago Pkwy, Indio, CA 92203				FACILITY DESCRIPTION Not Applicable					
PERMIT HOLDER Easia Golf Investment LLC				EMAIL kkhfly@hotmail.com				Major Violations 0	
PERMIT # PR0063242	EXPIRATION DATE 11/30/2023	SERVICE Follow-up inspection	REINSPECTION DATE 10/23/2022	FACILITY PHONE # (760)775-2000	PE 3622	DISTRICT 0036	INSPECTOR NAME Brigette Barradas		Points Deducted 6

The conditions listed below correspond to violations of the California Health and Safety Code and/or Riverside County Ordinances and must be corrected as indicated by the enforcement officer. The Department of Environmental Health appreciates your cooperation.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge determined by Riverside County Ordinance 640.

Major / Minor Violations: Major Violations are those that pose an imminent risk to public health and warrant immediate closure of the food facility or immediate correction. Minor Violations are those violations that do not pose an imminent public health risk, but do warrant correction.
GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 Passed inspection / meets minimum health standards. B = 89-80 Did not pass inspection / does not meet minimum health standards. C = 79-0 Failed inspection / conditions exist which may pose a potential or actual threat to public health and safety. The facility is required to display a grade card in a conspicuous place selected by the Enforcement Officer. The grade card shall not be concealed and can only be removed or relocated by the Enforcement Officer per County Ordinance 492 / County Code Section 8.40.020

A
SCORE 94

☒ In = In compliance ☒ COS = Corrected on-site ☐ N/O = Not observed ☐ N/A = Not applicable ☐ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE		COS	MAJ	OUT
<input checked="" type="radio"/> In	N/A 1. Food safety certification ServSafe; Millie Lee, exp. 4/26/23			2
EMPLOYEE HEALTH AND HYGIENIC PRACTICES				
<input checked="" type="radio"/> In	2. Communicable disease; reporting, restrictions and exclusions		4	
<input checked="" type="radio"/> In	N/O 3. No persistent discharge from eyes, nose, and mouth			2
<input checked="" type="radio"/> In	N/O 4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS				
<input checked="" type="radio"/> In	<input type="radio"/> N/O 5. Hands clean and properly washed; gloves used properly		4	2
<input checked="" type="radio"/> In	6. Adequate handwashing facilities supplied and accessible			2
TIME AND TEMPERATURE RELATIONSHIPS				
<input checked="" type="radio"/> In	N/O N/A 7. Proper hot and cold holding temperatures		4	2
<input checked="" type="radio"/> In	N/O <input type="radio"/> N/A 8. Time as a public health control; procedures and records		4	2
<input checked="" type="radio"/> In	N/O <input type="radio"/> N/A 9. Proper cooling methods		4	2
<input checked="" type="radio"/> In	<input type="radio"/> N/O N/A 10. Proper cooking time and temperature		4	2
<input checked="" type="radio"/> In	<input type="radio"/> N/O N/A 11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION				
<input checked="" type="radio"/> In	<input type="radio"/> N/O N/A 12. Returned and re-service of food			2
<input checked="" type="radio"/> In	13. Food: unadulterated, no spoilage, no contamination		4	2
<input checked="" type="radio"/> In	N/O N/A 14. Food contact surfaces: clean and sanitized manual; quat ammonium, 400 ppm /		4	2

FOOD FROM APPROVED SOURCES		COS	MAJ	OUT
<input checked="" type="radio"/> In	15. Food obtained from approved sources		4	2
<input checked="" type="radio"/> In	N/O <input type="radio"/> N/A 16. Compliance with shell stock tags, condition, display			2
<input checked="" type="radio"/> In	N/O <input type="radio"/> N/A 17. Compliance with Gulf Oyster regulations			2
CONFORMANCE WITH APPROVED PROCEDURES				
<input checked="" type="radio"/> In	<input type="radio"/> N/A 18. Compliance with variance, specialized process, and HACCP plan			2
CONSUMER ADVISORY				
<input checked="" type="radio"/> In	<input type="radio"/> N/A 19. Written disclosure and reminder statements provided for raw or undercooked foods			1
SCHOOL AND HEALTHCARE PROHIBITED FOODS				
<input checked="" type="radio"/> In	<input type="radio"/> N/A 20. Licensed health care facilities / public and private schools; prohibited foods not offered		4	2
WATER / HOT WATER				
<input checked="" type="radio"/> In	21. Hot and cold water available		4	<input checked="" type="radio"/> 2
Water Temperature 125°F				
LIQUID WASTE DISPOSAL				
<input checked="" type="radio"/> In	22. Sewage and wastewater properly disposed		4	2
VERMIN				
<input checked="" type="radio"/> In	23. No rodents, insects, birds, or animals		4	2
<input checked="" type="radio"/> In	N/A 24. Vermin proofing, air curtains, self-closing doors			1

SUPERVISION / PERSONAL CLEANLINESS	OUT
25. Person in charge present and performs duties, demonstration of knowledge	2
26. Personal cleanliness and hair restraints	1
GENERAL FOOD SAFETY REQUIREMENTS	
27. Approved thawing methods, frozen food storage	1
28. Food separated and protected from contamination	<input checked="" type="radio"/> 2
29. Washing fruits and vegetables	1
30. Toxic substances properly identified, stored, used	1
FOOD STORAGE / DISPLAY / SERVICE	
31. Adequate food storage; food storage containers identified	1
32. Consumer self-service	1
33. Food properly labeled; honestly presented; menu labeling	1

EQUIPMENT / UTENSILS / LINENS	OUT
34. Utensils and equipment approved, good repair	1
35. Warewashing: installed, maintained, proper use, test materials	1
36. Equipment / utensils: installed, clean, adequate capacity	1
37. Equipment, utensils, and linens: storage and use	1
38. Adequate ventilation and lighting; designated areas, use	1
39. Thermometers provided and accurate	1
40. Wiping cloths: properly used and stored	1
PHYSICAL FACILITIES	
41. Plumbing: properly installed, good repair	<input checked="" type="radio"/> 1
42. Refuse properly disposed; facilities maintained	1
43. Toilet facilities: properly constructed, supplied, cleaned	1
44. Premises; personal item storage and cleaning item storage	1

PERMANENT FOOD FACILITIES	OUT
45. Floors, walls, ceilings: good repair / fully enclosed	1
46. Floors, walls, and ceilings: clean	1
47. No unapproved private homes / living or sleeping quarters	1
SIGNS / REQUIREMENTS	
48. Last inspection report available	
49. Food Handler certifications available, current, and complete	<input checked="" type="radio"/> 1
50. Grade card and signs posted, visible	
COMPLIANCE AND ENFORCEMENT	
51. Plans approved / submitted	
52. Permit available / current	
53. Permit suspended / revoked	
54. Voluntary condemnation	
55. Impound	



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Terra Lago Golf Club	DATE 6/23/2022	PERMIT # PR0063242
---------------------------------------	-------------------	-----------------------

14. FOOD CONTACT SURFACES; CLEAN AND SANITIZED

POINTS

0

Inspector Comments: Observed the bar and main kitchen dishwasher to measure 0 ppm chlorine. Discontinue using the bar and kitchen dishwashers until it is repaired and measuring 50 ppm chlorine.

NOTE: Main kitchen is only used during special events.

Bar area uses 3-compartment sink for washing dishes with 400 ppm quat ammonium.

Violation Description: All food contact surfaces of utensils and equipment shall be properly cleaned and sanitized. Food contact surfaces shall be clean to the sight and touch, no accumulation of dust, dirt, food residue, and other debris. (114097, 114099.1, 114099.2, 114099.4, 114099.6, 114099.7, 114101(b-d), 114105, 114109, 114111, 114113, 114115, 114117, 114118, 114123, 114125(b), 114130.2, 114130.5, 114141)

21. HOT AND COLD WATER AVAILABLE

POINTS

2

Inspector Comments: Main kitchen:

3-compartment sink at dishwasher area- 125 F

BAR area:

3-compartment area- 103.6 F

Provide hot water at a minimum of 120°F for 3-compartment sink.

Violation Description: An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times. Hot water of at least 120°F must be provided for facilities with unpackaged food or packaged potentially hazardous food. Handwashing facilities shall be equipped to provide warm water for at least 15 seconds. (113953(c), 114189, 114192 (a,d), 114192.1, 114195)

28. FOOD SEPARATED AND PROTECTED FROM CONTAMINATION

POINTS

2

Inspector Comments: Observed pink mold accumulation inside the ice machine deflector. Clean the ice machine in an approved manner.

Violation Description: All food shall be separated and protected from contamination. (113984, 113986, 114060, 114067(a, d, e), 114069(a, d), 114073, 114077, 114089.1(c), 114143(c))

36. EQUIPMENT / UTENSILS PROPERLY INSTALLED, CLEAN;ADEQUATE CAPACITY

POINTS

0

Inspector Comments: NOTE:

Clean and maintain the following: The dishes by the cook's line. Observed plates to contain food debris.

Violation Description: All utensils and equipment shall be clean and installed in an approved manner. Equipment type and quantity shall be adequate for the operation.(114115, 114130.3, 114139, 114153, 114163, 114165, 114167, 114169, 114175, 114180, 114182, 114257)

41. PLUMBING: PROPERLY INSTALLED, GOOD REPAIR

POINTS

1

Inspector Comments: 1) Provide an approved air gap at least 1-inch between the bottom of the drain line and the top of the floor sink at the following:

- At the entrance to the main kitchen
- At the 3-compartment sink near the walk-in cooler
- At the 3-compartment sink at the bar area
- At the dishwasher at the bar area

3) Repair the leak at faucet and pipes at the 3-compartment sink at the dishwasher area

Violation Description: All plumbing shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. All food-related equipment drain lines must discharge through an approved indirect connection. Any hose used for conveying potable water shall be made from approved material and used for no other purpose. (114171, 114189.1, 114190, 114192(b,c), 114193, 114193.1, 114199, 114201, 114269)



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Terra Lago Golf Club	DATE 6/23/2022	PERMIT # PR0063242
---------------------------------------	-------------------	-----------------------

45. FLOORS, WALLS, CEILING: GOOD REPAIR / FULLY ENCLOSED

POINTS

0

Inspector Comments: NOTE:

Repair the following:

- The floors in the walk-in cooler. Observed metal piece to be sticking out. Operator mentioned it going to be repaired soon.

Violation Description: The floors, walls, ceilings finishes must be of an approved material, durable, smooth, nonabsorbent, and easily cleanable. Food facilities shall be fully enclosed. (114143 (d), 114257, 114266, 114268, 114271, 114272)

46. FLOORS, WALLS, AND CEILINGS: CLEAN

POINTS

0

Inspector Comments: NOTE:

Clean and maintain the following:

- The walls at the dishwasher area

Violation Description: Floors, walls, and ceilings shall be maintained clean. (114257, 114268.1)

49. FOOD HANDLER CERTIFICATIONS AVAILABLE, CURRENT, COMPLETE

POINTS

1

Inspector Comments: Observed two food handler cards to not be Riverside County approved. All employees who handle food, utensils, or food equipment shall have a valid Riverside County Food Handler Certificate within one week of commencing work.

Violation Description: County of Riverside Environmental Health Food Handler Certification(s) are available and current for all employees who prepare, store, or serve exposed food. (Riverside County Ordinance 567)

Overall Inspection Comments

A re-inspection was conducted due to a prior downgrade of "B." Facility has now passed the inspection and "A" grade posted with "B" placard taken down. Future downgrades within the year will result in hearings or permit suspension/revocation.

Did you know that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 171425 of the Civil Code and Sections 114432 to 114434 inclusive of the Health and Safety Code. For more information visit our website at www.rivcoeh.org.

Signature

Signature not captured due to
COVID 19 pandemic.

Amelia Hulbert
Person in Charge
06/23/2022

Brigitte Barradas
Environmental Health Specialist
06/23/2022

REASONS FOR IMMEDIATE CLOSURE OF A FOOD FACILITY

Per California Health and Safety Code Section 114409 (a):

"If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, Per California Health and Safety Code Section 114411:

"The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

No foil or cardboard
on shelves!



PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS

Ready-to-Eat
Food


Cooked
Food

Raw Meat,
Raw Eggs

Store cooked and ready-to-eat food above raw food to avoid cross-contamination.
Keep all food covered to prevent contamination

MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A THREE COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink. Use one of the following sanitizing methods:
 - 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
 - 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
 - 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
 - Water at a temperature of 171°F for a minimum of 30 seconds in solution
5. **AIR DRY** all items on the drain board.



PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

TIME IS THE KEY FACTOR IN PROPER COOLING

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper timeframes.

PROPER FOOD THAWING METHODS



1. Under refrigeration
2. In a microwave oven on "defrost"
3. Submerged under cold running water in an approved preparation sink for no longer than 2 hours
4. As part of the cooking process



INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

135°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	155°F for 15 seconds	155°F for 15 seconds	165°F for 15 seconds	165°F for 15 seconds

Food temperature cannot be felt - use your probe thermometer!



FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

BLYTHE
260 N Broadway
Blythe, CA 92225
Phone 760-921-5090
Fax 760-921-5085

CORONA
2275 S Main St #204
Corona, CA 92882
Phone 951-273-9140
Fax 951-520-8319

HEMET
800 S Sanderson Ave #200
Hemet, CA 92545
Phone 951-766-2824
Fax 951-766-7874

INDIO
47-950 Arabia St #A
Indio, CA 92201
Phone 760-863-8287
Fax 760-863-8303

MURRIETA
30135 Technology Dr #250
Murrieta, CA 92563
Phone 951-461-0284
Fax 951-461-0245

PALM SPRINGS
554 S Paseo Dorotea
Palm Springs, CA 92264
Phone 760-320-1048
Fax 760-320-1470

RIVERSIDE
4065 County Circle Dr #104
Riverside, CA 92503
Phone 951-358-5172
Fax 951-358-5017