



County of Riverside  
DEPARTMENT OF ENVIRONMENTAL HEALTH  
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME <b>The Public House-OOB</b>				DATE 9/13/2021		TIME IN 11:45 AM		TIME OUT 2:30 PM	
ADDRESS 41971 Main St, Temecula, CA 92590				FACILITY DESCRIPTION oob change ownership					
PERMIT HOLDER Gerry Kent				EMAIL JTL@publichouse.tv haley@pu				Major Violations 2	
PERMIT # PR0038492	EXPIRATION DATE 08/31/2022	SERVICE Routine inspection	REINSPECTION DATE 9/20/2021	FACILITY PHONE # (951)676-7305	PE 3621	DISTRICT 0046	INSPECTOR NAME Kristen Burnham	Points Deducted 17	

The conditions listed below correspond to violations of the California Health and Safety Code and/or Riverside County Ordinances and must be corrected as indicated by the enforcement officer. The Department of Environmental Health appreciates your cooperation.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge determined by Riverside County Ordinance 640.

**Major / Minor Violations:** Major Violations are those that pose an imminent risk to public health and warrant immediate closure of the food facility or immediate correction. Minor Violations are those violations that do not pose an imminent public health risk, but do warrant correction.

GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 Passed inspection / meets minimum health standards. B = 89-80 Did not pass inspection / does not meet minimum health standards. C = 79-0 Failed inspection / conditions exist which may pose a potential or actual threat to public health and safety. The facility is required to display a grade card in a conspicuous place selected by the Enforcement Officer. The grade card shall not be concealed and can only be removed or relocated by the Enforcement Officer per County Ordinance 492 / County Code Section 8.40.020

**B**  
SCORE 83

☒ In = In compliance    ☒ COS = Corrected on-site    ☐ N/O = Not observed    ☐ N/A = Not applicable    ☐ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
In	N/A	1. Food safety certification			2
EMPLOYEE HEALTH AND HYGIENIC PRACTICES					
In		2. Communicable disease; reporting, restrictions and exclusions		4	
In	N/O	3. No persistent discharge from eyes, nose, and mouth			2
In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
In	N/O	5. Hands clean and properly washed; gloves used properly		4	2
In		6. Adequate handwashing facilities supplied and accessible			2
TIME AND TEMPERATURE RELATIONSHIPS					
In	N/O	7. Proper hot and cold holding temperatures	+	4	2
In	N/O	8. Time as a public health control; procedures and records		4	2
In	N/O	9. Proper cooling methods		4	2
In	N/O	10. Proper cooking time and temperature		4	2
In	N/O	11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION					
In	N/O	12. Returned and re-service of food			2
In		13. Food: unadulterated, no spoilage, no contamination		4	2
In	N/O	14. Food contact surfaces: clean and sanitized	+	4	2
0 chlor at bar dw/100@kit dw /					

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
In		15. Food obtained from approved sources		4	2
In	N/O	16. Compliance with shell stock tags, condition, display			2
In	N/O	17. Compliance with Gulf Oyster regulations			2
CONFORMANCE WITH APPROVED PROCEDURES					
In	N/A	18. Compliance with variance, specialized process, and HACCP plan			2
CONSUMER ADVISORY					
In	N/A	19. Written disclosure and reminder statements provided for raw or undercooked foods			1
SCHOOL AND HEALTHCARE PROHIBITED FOODS					
In	N/A	20. Licensed health care facilities / public and private schools; prohibited foods not offered		4	2
WATER / HOT WATER					
In		21. Hot and cold water available		4	2
Water Temperature °F					
LIQUID WASTE DISPOSAL					
In		22. Sewage and wastewater properly disposed		4	2
VERMIN					
In		23. No rodents, insects, birds, or animals		4	2
In	N/A	24. Vermin proofing, air curtains, self-closing doors			1

SUPERVISION / PERSONAL CLEANLINESS		OUT
25. Person in charge present and performs duties, demonstration of knowledge		2
26. Personal cleanliness and hair restraints		1
GENERAL FOOD SAFETY REQUIREMENTS		
27. Approved thawing methods, frozen food storage		1
28. Food separated and protected from contamination		2
29. Washing fruits and vegetables		1
30. Toxic substances properly identified, stored, used		1
FOOD STORAGE / DISPLAY / SERVICE		
31. Adequate food storage; food storage containers identified		1
32. Consumer self-service		1
33. Food properly labeled; honestly presented; menu labeling		1

EQUIPMENT / UTENSILS / LINENS		OUT
34. Utensils and equipment approved, good repair		1
35. Warewashing: installed, maintained, proper use, test materials		1
36. Equipment / utensils: installed, clean, adequate capacity		1
37. Equipment, utensils, and linens: storage and use		1
38. Adequate ventilation and lighting; designated areas, use		1
39. Thermometers provided and accurate		1
40. Wiping cloths: properly used and stored		1
PHYSICAL FACILITIES		
41. Plumbing: properly installed, good repair		1
42. Refuse properly disposed; facilities maintained		1
43. Toilet facilities: properly constructed, supplied, cleaned		1
44. Premises; personal item storage and cleaning item storage		1

PERMANENT FOOD FACILITIES		OUT
45. Floors, walls, ceilings: good repair / fully enclosed		1
46. Floors, walls, and ceilings: clean		1
47. No unapproved private homes / living or sleeping quarters		1
SIGNS / REQUIREMENTS		
48. Last inspection report available		
49. Food Handler certifications available, current, and complete		1
50. Grade card and signs posted, visible		
COMPLIANCE AND ENFORCEMENT		
51. Plans approved / submitted		
52. Permit available / current		
53. Permit suspended / revoked		
54. Voluntary condemnation		
55. Impound		



County of Riverside  
DEPARTMENT OF ENVIRONMENTAL HEALTH  
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME The Public House-OOB	DATE 9/13/2021	PERMIT # PR0038492
---------------------------------------	-------------------	-----------------------

6. ADEQUATE HANDWASHING FACILITIES SUPPLIED & ACCESSIBLE

POINTS

2

Inspector Comments:

--Provide wall mounted hand soap dispensers at the kitchen hand sink and employee restroom hand sink. Squeeze bottles of soap are currently present at these sinks. If the wall mounted soap dispensers cannot be immediately installed, then provide pump dispensers of hand soap at these hand sinks. Pump dispensers are approved for temporary emergency use while squeeze bottles are not.

**Violation Description:** Adequate facilities exclusively for handwashing shall be provided in food preparation areas and within toilet rooms. Handwashing soap, and towels or drying device, shall be provided in dispensers. Handwashing facilities shall be clean, unobstructed, and accessible at all times for employee use. (113953, 113953.1, 113953.2, 114067(f), 114143 (e))

7. PROPER HOT & COLD HOLDING TEMPERATURES

⚠ CRITICAL ⚠

POINTS

4

Inspector Comments:

--The expo station refrigerator was observed to be holding foods above 41 °F. Cooked portabella mushroom caps were observed at 56 °F and brie cheese was observed at 47 °F. These items had been in the refrigerator overnight and were voluntarily discarded. The unit was placed under impound. Potentially hazardous foods may not be kept in this refrigerator.

--One of the cookline refrigerators was observed to be holding foods at 55-61 °F. The items included two kinds of cooked noodles, cooked tomatoes, hummus, raw chicken, uncooked bacon bits/chunks, blue cheese, and shredded cheese. The unit had been kept empty overnight and was stocked within the previous hour. All the foods were moved back into the walk-in refrigerator which was below 41 °F. The cookline refrigerator was placed under impound. This refrigerator also had a good deal of pooled water inside of it. Ensure the repair also eliminates the source of this pooling water.

--Repair the refrigerators to hold at 41 °F or below and contact inspector via email at KBurnham@rivco.org to scheduled reinspection. The reinspection date has been set for Monday 9-20-21 but an earlier recheck can be done if the units are repaired sooner than that.

**Violation Description:** Potentially hazardous food shall be held at or below 41°F / 45°F or at or above 135°F. Potentially hazardous food removed from proper holding temperature during preparation must be returned to proper temperature within 2 hours. Potentially hazardous food shall be received at proper temperature without evidence of temperature abuse. (113996, 113998, 114037)

14. FOOD CONTACT SURFACES; CLEAN AND SANITIZED

⚠ CRITICAL ⚠

POINTS

4

Inspector Comments:

--The bar dishwasher was observed to not have chlorine present at the end of the cycle. Several cycles were run. Utensils had been in the dishwasher. The dishwasher was placed under impound. It must be repaired to restore chlorine of at least 50 ppm. The unit may not be used until it has been rechecked by the inspector.

The bar was observed to have a properly set up 3- compartment sink. Staff were directed to use the 3- compartment sink for all utensil washing and sanitizing in the meantime,

**Violation Description:** All food contact surfaces of utensils and equipment shall be properly cleaned and sanitized. Food contact surfaces shall be clean to the sight and touch, no accumulation of dust, dirt, food residue, and other debris. (114097, 114099.1, 114099.2, 114099.4, 114099.6, 114099.7, 114101(b-d), 114105, 114109, 114111, 114113, 114115, 114117, 114118, 114123, 114125(b), 114130.2, 114130.5, 114141)

23. NO RODENTS, INSECTS, BIRDS, OR ANIMALS

POINTS

2

Inspector Comments:

--A fish aquarium is currently located within the bar. It is situated above the keg beverage dispensing taps. Relocate this aquarium out of the bar. Find a location for the aquarium that is away from food/beverage prep and storage. It must also be separate from stored utensils.

--Several fruit flies were present in the kitchen. They appeared to be concentrated around a container of over-ripe jalapeños (located on shelf above the prep table). Remove the over-ripe jalapeños. Eliminate the fruit flies using approved materials and methods.

**Violation Description:** Each food facility shall be kept free of vermin. Only approved animals, such as service animals or decorative fish in aquariums, are permitted inside a food facility. (114259.1, 114259.4, 114259.5)



County of Riverside  
DEPARTMENT OF ENVIRONMENTAL HEALTH  
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME The Public House-OOB	DATE 9/13/2021	PERMIT # PR0038492
---------------------------------------	-------------------	-----------------------

34. UTENSILS AND EQUIPMENT APPROVED, GOOD REPAIR

POINTS

1

Inspector Comments:

- Discontinue using milk crates as storage bins; they are not permitted due to the difficulty of cleaning the crevices. Four crates were observed in the kitchen holding miscellaneous items. Smooth-sided plastic bins would be approved as replacements.
- The door to the front patio is not self-closing properly. Adjust the door closure device as needed so the door properly self-closes.
- The evaporative coils inside the small refrigerator (located by the walk-in refrigerator in the kitchen) are fully iced over. Repair this unit to remove the ice build-up.
- Remove the InstaPot. Household grade appliances are not permitted within a food facility.
- Remove any food containers that have developed cracks. Several clear plastic containers in the kitchen are damaged.
- The soda machine in the kitchen has a flex hose drain line. Flex hose is not permitted. Replace this flex hose with the required hard line, such as PVC.

**Violation Description:** All utensils and equipment shall be approved and in good repair. (114130, 114130.1-114130.6, 114132, 114133, 114137, 114175, 114177, 114257)

35. WAREWASHING; INSTALLED, MAINTAINED. PROPER USE, TEST MATERIALS

POINTS

1

Inspector Comments:

- Provide chlorine test strips for the bar. The test strips are needed so staff can verify that the dishwasher has at least 50 ppm chlorine and that the 3- comp sink has at least 100 ppm chlorine from the packets.

**Violation Description:** Food facilities that prepare food shall have approved warewashing equipment. Testing equipment and materials shall be provided to measure the wash water temperature and applicable sanitization method. (114067(g), 114099, 114099.3, 114099.5, 114101(a), 114101.1, 114101.2, 114103, 114107, 114125)

36. EQUIPMENT / UTENSILS PROPERLY INSTALLED, CLEAN;ADEQUATE CAPACITY

POINTS

1

Inspector Comments:

- The following require further cleaning:
- ceiling vents of the indoor dining room
  - interior of the glassware storage refrigerator at bar
  - gasket on the small freezer in the bar
  - box fan on the floor in the bar
  - sanitizer hose at the kitchen 3- comp sink: clean or cut off soiled end
  - top of dishwasher
  - can opener and can opener holder

**Violation Description:** All utensils and equipment shall be clean and installed in an approved manner. Equipment type and quantity shall be adequate for the operation.(114115, 114130.3, 114139, 114153, 114163, 114165, 114167, 114169, 114175, 114180, 114182, 114257)

37. EQUIPMENT, UTENSILS, LINENS: STORAGE AND USE

POINTS

1

Inspector Comments:

- The scoop handle was observed to be touching the ice in the bar ice bins. Keep the scoops 'standing' in the ice with the handle off the ice. Alternatively a clean container can be set into the ice in order to hold the scoop without it falling over.
- Move the small rack off the kitchen prep sink faucet. Discontinue storing items behind sink faucets as they can become contaminated in these locations.

**Violation Description:** Utensils and equipment shall be handled and stored in an approved manner, protected from contamination. All clean and soiled linen shall be properly stored. (114067(h), 114074, 114081, 114083, 114119, 114121, 114143(a-b), 114161, 114172, 114178, 114179, 114185, 114185.2, 114185.3, 114185.4, 114185.5)



County of Riverside  
DEPARTMENT OF ENVIRONMENTAL HEALTH  
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME The Public House-OOB	DATE 9/13/2021	PERMIT # PR0038492
---------------------------------------	-------------------	-----------------------

45. FLOORS, WALLS, CEILING: GOOD REPAIR / FULLY ENCLOSED

POINTS

1

Inspector Comments:

- Secure the loosened wall panel behind the bar dishwasher.
- Repair the damaged wall in the bar below the hand sink area.
- Fill in the small holes in the walls at the vegetable dicer and at the kitchen 3- compartment sink wall.

**Violation Description:** The floors, walls, ceilings finishes must be of an approved material, durable, smooth, nonabsorbent, and easily cleanable. Food facilities shall be fully enclosed. (114143 (d), 114257, 114266, 114268, 114271, 114272)

Overall Inspection Comments

A complaint investigation was conducted in conjunction with this routine inspection. Details can be found in complaint report CO0080509. Contact this Department for further information.

This facility did not meet minimum required health standards at this routine inspection. The facility has been downgraded to the grade of "B." Be advised that obstruction or removal of the "B" card will result in the legal action of a \$100 citation being issued. A re-inspection has been scheduled for 9-13-21. Contact Kristen Burnham at 951-461-0284 or KBurnham@rivco.org with any questions.

**Did you know** that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 171425 of the Civil Code and Sections 114432 to 114434 inclusive of the Health and Safety Code. For more information visit our website at [www.rivcoeh.org](http://www.rivcoeh.org).

Signature

Signature not captured due to  
COVID 19 pandemic.

Alayna Winters  
Person in Charge  
09/13/2021

Kristen Burnham  
Environmental Health Specialist  
09/13/2021



## REASONS FOR IMMEDIATE CLOSURE OF A FOOD FACILITY

Per California Health and Safety Code Section 114409 (a):

"If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, Per California Health and Safety Code Section 114411:

"The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

No foil or cardboard  
on shelves!



## PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS

Ready-to-Eat  
Food

Cooked  
Food

Raw Meat,  
Raw Eggs

Store cooked and ready-to-eat food above raw food to avoid cross-contamination.  
Keep all food covered to prevent contamination

## MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A THREE COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink. Use one of the following sanitizing methods:
  - 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
  - 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
  - 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
  - Water at a temperature of 171°F for a minimum of 30 seconds in solution
5. **AIR DRY** all items on the drain board.



## PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

### TIME IS THE KEY FACTOR IN PROPER COOLING

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper timeframes.

## PROPER FOOD THAWING METHODS



1. Under refrigeration
2. In a microwave oven on "defrost"
3. Submerged under cold running water in an approved preparation sink for no longer than 2 hours
4. As part of the cooking process



## INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

<b>135°F</b> for 15 seconds	<b>145°F</b> for 15 seconds	<b>145°F</b> for 15 seconds	<b>145°F</b> for 15 seconds	<b>155°F</b> for 15 seconds	<b>155°F</b> for 15 seconds	<b>165°F</b> for 15 seconds	<b>165°F</b> for 15 seconds

Food temperature cannot be felt - use your probe thermometer!



## FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

**BLYTHE**  
260 N Broadway  
Blythe, CA 92225  
Phone 760-921-5090  
Fax 760-921-5085

**CORONA**  
2275 S Main St #204  
Corona, CA 92882  
Phone 951-273-9140  
Fax 951-520-8319

**HEMET**  
800 S Sanderson Ave #200  
Hemet, CA 92545  
Phone 951-766-2824  
Fax 951-766-7874

**INDIO**  
47-950 Arabia St #A  
Indio, CA 92201  
Phone 760-863-8287  
Fax 760-863-8303

**MURRIETA**  
30135 Technology Dr #250  
Murrieta, CA 92563  
Phone 951-461-0284  
Fax 951-461-0245

**PALM SPRINGS**  
554 S Paseo Dorotea  
Palm Springs, CA 92264  
Phone 760-320-1048  
Fax 760-320-1470

**RIVERSIDE**  
4065 County Circle Dr #104  
Riverside, CA 92503  
Phone 951-358-5172  
Fax 951-358-5017