



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Marito Fitness Studio				DATE 8/8/2022		TIME IN 8:45 AM		TIME OUT 9:35 AM	
ADDRESS 8351 Arlington Ave, Riverside, CA 92503				FACILITY DESCRIPTION Not Applicable					
PERMIT HOLDER Mario Sotelo Hernandez				EMAIL maritozumba1972@icloud.com				Major Violations 0	
PERMIT # PR0081306	EXPIRATION DATE 03/31/2023	SERVICE Follow-up inspection	REINSPECTION DATE Next Routine	FACILITY PHONE # (951)212-9106	PE 2620	DISTRICT 0003	INSPECTOR NAME Emily Piehl	Points Deducted 3	

The conditions listed below correspond to violations of the California Health and Safety Code and/or Riverside County Ordinances and must be corrected as indicated by the enforcement officer. The Department of Environmental Health appreciates your cooperation.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge determined by Riverside County Ordinance 640.

Major / Minor Violations: Major Violations are those that pose an imminent risk to public health and warrant immediate closure of the food facility or immediate correction. Minor Violations are those violations that do not pose an imminent public health risk, but do warrant correction.
GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 Passed inspection / meets minimum health standards. B = 89-80 Did not pass inspection / does not meet minimum health standards. C = 79-0 Failed inspection / conditions exist which may pose a potential or actual threat to public health and safety. The facility is required to display a grade card in a conspicuous place selected by the Enforcement Officer. The grade card shall not be concealed and can only be removed or relocated by the Enforcement Officer per County Ordinance 492 / County Code Section 8.40.020

A
SCORE 97

☒ In = In compliance ☒ COS = Corrected on-site ☐ N/O = Not observed ☐ N/A = Not applicable ☐ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE		COS	MAJ	OUT
In	N/A 1. Food safety certification			2
EMPLOYEE HEALTH AND HYGIENIC PRACTICES				
In	2. Communicable disease; reporting, restrictions and exclusions		4	
In	N/O 3. No persistent discharge from eyes, nose, and mouth			2
In	N/O 4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS				
In	N/O 5. Hands clean and properly washed; gloves used properly		4	2
In	6. Adequate handwashing facilities supplied and accessible			2
TIME AND TEMPERATURE RELATIONSHIPS				
In	N/O N/A 7. Proper hot and cold holding temperatures		4	2
In	N/O N/A 8. Time as a public health control; procedures and records		4	2
In	N/O N/A 9. Proper cooling methods		4	2
In	N/O N/A 10. Proper cooking time and temperature		4	2
In	N/O N/A 11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION				
In	N/O N/A 12. Returned and re-service of food			2
In	13. Food: unadulterated, no spoilage, no contamination		4	2
In	N/O N/A 14. Food contact surfaces: clean and sanitized		4	2

FOOD FROM APPROVED SOURCES		COS	MAJ	OUT
In	15. Food obtained from approved sources		4	2
In	N/O N/A 16. Compliance with shell stock tags, condition, display			2
In	N/O N/A 17. Compliance with Gulf Oyster regulations			2
CONFORMANCE WITH APPROVED PROCEDURES				
In	N/A 18. Compliance with variance, specialized process, and HACCP plan			2
CONSUMER ADVISORY				
In	N/A 19. Written disclosure and reminder statements provided for raw or undercooked foods			1
SCHOOL AND HEALTHCARE PROHIBITED FOODS				
In	N/A 20. Licensed health care facilities / public and private schools; prohibited foods not offered		4	2
WATER / HOT WATER				
In	21. Hot and cold water available		4	2
LIQUID WASTE DISPOSAL				
In	22. Sewage and wastewater properly disposed		4	2
VERMIN				
In	23. No rodents, insects, birds, or animals		4	2
In	N/A 24. Vermin proofing, air curtains, self-closing doors			1

SUPERVISION / PERSONAL CLEANLINESS		OUT
25. Person in charge present and performs duties, demonstration of knowledge		2
26. Personal cleanliness and hair restraints		1
GENERAL FOOD SAFETY REQUIREMENTS		
27. Approved thawing methods, frozen food storage		1
28. Food separated and protected from contamination		2
29. Washing fruits and vegetables		1
30. Toxic substances properly identified, stored, used		1
FOOD STORAGE / DISPLAY / SERVICE		
31. Adequate food storage; food storage containers identified		1
32. Consumer self-service		1
33. Food properly labeled; honestly presented; menu labeling		1

EQUIPMENT / UTENSILS / LINENS		OUT
34. Utensils and equipment approved, good repair		1
35. Warewashing: installed, maintained, proper use, test materials		1
36. Equipment / utensils: installed, clean, adequate capacity		1
37. Equipment, utensils, and linens: storage and use		1
38. Adequate ventilation and lighting; designated areas, use		1
39. Thermometers provided and accurate		1
40. Wiping cloths: properly used and stored		1
PHYSICAL FACILITIES		
41. Plumbing: properly installed, good repair		1
42. Refuse properly disposed; facilities maintained		1
43. Toilet facilities: properly constructed, supplied, cleaned		1
44. Premises; personal item storage and cleaning item storage		1

PERMANENT FOOD FACILITIES		OUT
45. Floors, walls, ceilings: good repair / fully enclosed		1
46. Floors, walls, and ceilings: clean		1
47. No unapproved private homes / living or sleeping quarters		1
SIGNS / REQUIREMENTS		
48. Last inspection report available		
49. Food Handler certifications available, current, and complete		1
50. Grade card and signs posted, visible		
COMPLIANCE AND ENFORCEMENT		
51. Plans approved / submitted		
52. Permit available / current		
53. Permit suspended / revoked		
54. Voluntary condemnation		
55. Impound		



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Marito Fitness Studio	DATE 8/8/2022	PERMIT # PR0081306
--	------------------	-----------------------

21. HOT AND COLD WATER AVAILABLE

POINTS

2

Inspector Comments: Measured hot water at 110F at the warewash sink.
Provide hot water at a minimum of 120°F.

Facilities has a 4500 Watt water heater. The facility is required to have a 7,986 Watt water heater.
Facility must combine the upper and lower elements of the water heater in order to have sufficient hot water.
A reinspection is scheduled for 8/17/22 to verify compliance with the water heater.

Violation Description: An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times.
Hot water of at least 120°F must be provided for facilities with unpackaged food or packaged potentially hazardous food. Handwashing facilities shall be equipped to provide warm water for at least 15 seconds. (113953(c), 114189, 114192 (a,d), 114192.1, 114195)

34. UTENSILS AND EQUIPMENT APPROVED, GOOD REPAIR

POINTS

1

Inspector Comments: Observed cardboard boxes being used to store bottled water. Remove the cardboard.
If desired, replace these unacceptable materials with durable, smooth, non-absorbent material (like fiberglass reinforced plastic or a cutting board) that is easily cleanable. (Note: Once the original contents of a cardboard box is used, discard the box; do not re-use since boxes are common harborage for cockroaches.)

Violation Description: All utensils and equipment shall be approved and in good repair. (114130, 114130.1-114130.6, 114132, 114133, 114137, 114175, 114177, 114257)

Overall Inspection Comments

This inspection is at the request of Mario Sotelo (owner) in response to a facility closure on 8/4/22 for clogged floor sink. The conditions causing the closure were observed to be corrected. Your facility is approved to operate.

This re-inspection was conducted due to the downgrade of the facility on 8/4/22. At this time all violations from the previous inspection report have been corrected except for the following noted in the inspection report. "B" card was removed and replace with "A" card.

Facilities has a 4500 Watt water heater. The facility is required to have a 7,986 Watt water heater.
Facility must combine the upper and lower elements of the water heater in order to have sufficient hot water.
A reinspection is scheduled for 8/17/22 to verify compliance with the water heater.

Did you know that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 171425 of the Civil Code and Sections 114432 to 114434 inclusive of the Health and Safety Code. For more information visit our website at www.rivcoeh.org.

Signature

Signature not captured due to
COVID 19 pandemic.

Mario Sotelo
Person in Charge
08/08/2022

Emily Piehl
Environmental Health Specialist
08/08/2022

REASONS FOR IMMEDIATE CLOSURE OF A FOOD FACILITY

Per California Health and Safety Code Section 114409 (a):

"If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, Per California Health and Safety Code Section 114411:

"The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

No foil or cardboard
on shelves!



PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS

Ready-to-Eat
Food

Cooked
Food

Raw Meat,
Raw Eggs

Store cooked and ready-to-eat food above raw food to avoid cross-contamination.
Keep all food covered to prevent contamination

MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A THREE COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink. Use one of the following sanitizing methods:
 - 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
 - 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
 - 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
 - Water at a temperature of 171°F for a minimum of 30 seconds in solution
5. **AIR DRY** all items on the drain board.



PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

TIME IS THE KEY FACTOR IN PROPER COOLING

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper timeframes.

PROPER FOOD THAWING METHODS



1. Under refrigeration
2. In a microwave oven on "defrost"
3. Submerged under cold running water in an approved preparation sink for no longer than 2 hours
4. As part of the cooking process



INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

135°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	155°F for 15 seconds	155°F for 15 seconds	165°F for 15 seconds	165°F for 15 seconds

Food temperature cannot be felt - use your probe thermometer!



FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

BLYTHE
260 N Broadway
Blythe, CA 92225
Phone 760-921-5090
Fax 760-921-5085

CORONA
2275 S Main St #204
Corona, CA 92882
Phone 951-273-9140
Fax 951-520-8319

HEMET
800 S Sanderson Ave #200
Hemet, CA 92545
Phone 951-766-2824
Fax 951-766-7874

INDIO
47-950 Arabia St #A
Indio, CA 92201
Phone 760-863-8287
Fax 760-863-8303

MURRIETA
30135 Technology Dr #250
Murrieta, CA 92563
Phone 951-461-0284
Fax 951-461-0245

PALM SPRINGS
554 S Paseo Dorotea
Palm Springs, CA 92264
Phone 760-320-1048
Fax 760-320-1470

RIVERSIDE
4065 County Circle Dr #104
Riverside, CA 92503
Phone 951-358-5172
Fax 951-358-5017