



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Lone Palm Bar				DATE 6/7/2022		TIME IN 11:30 AM		TIME OUT 12:00 PM	
ADDRESS 1600 N Indian Canyon Dr, Palm Springs, CA 92262				FACILITY DESCRIPTION Not Applicable					
PERMIT HOLDER Margaritaville Resort Palm Springs				EMAIL mark.jeffrey@rivierapalmspring				Major Violations 1	
PERMIT # PR0068443	EXPIRATION DATE 09/30/2023	SERVICE Routine inspection	REINSPECTION DATE 12/07/2022	FACILITY PHONE # (408)971-2920	PE 2630	DISTRICT 0021	INSPECTOR NAME Emmily Phan	Points Deducted 9	

The conditions listed below correspond to violations of the California Health and Safety Code and/or Riverside County Ordinances and must be corrected as indicated by the enforcement officer. The Department of Environmental Health appreciates your cooperation.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge determined by Riverside County Ordinance 640.

Major / Minor Violations: Major Violations are those that pose an imminent risk to public health and warrant immediate closure of the food facility or immediate correction. Minor Violations are those violations that do not pose an imminent public health risk, but do warrant correction.
GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 Passed inspection / meets minimum health standards. B = 89-80 Did not pass inspection / does not meet minimum health standards. C = 79-0 Failed inspection / conditions exist which may pose a potential or actual threat to public health and safety. The facility is required to display a grade card in a conspicuous place selected by the Enforcement Officer. The grade card shall not be concealed and can only be removed or relocated by the Enforcement Officer per County Ordinance 492 / County Code Section 8.40.020

**FACILITY
CLOSED**
CA HEALTH &
SAFETY CODE
SECTION 113960

☒ In = In compliance ☒ COS = Corrected on-site ☐ N/O = Not observed ☐ N/A = Not applicable ☐ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
<input checked="" type="radio"/>	N/A	1. Food safety certification Martimo Whitter ServSafe Exp: 1/7/24			2
EMPLOYEE HEALTH AND HYGIENIC PRACTICES					
<input checked="" type="radio"/>		2. Communicable disease; reporting, restrictions and exclusions		4	
<input checked="" type="radio"/>	N/O	3. No persistent discharge from eyes, nose, and mouth			2
<input checked="" type="radio"/>	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
<input checked="" type="radio"/>	N/O	5. Hands clean and properly washed; gloves used properly		4	2
<input checked="" type="radio"/>		6. Adequate handwashing facilities supplied and accessible			2
TIME AND TEMPERATURE RELATIONSHIPS					
<input checked="" type="radio"/>	N/O	7. Proper hot and cold holding temperatures		4	2
<input checked="" type="radio"/>	N/O	8. Time as a public health control; procedures and records		4	2
<input checked="" type="radio"/>	N/O	9. Proper cooling methods		4	2
<input checked="" type="radio"/>	N/O	10. Proper cooking time and temperature		4	2
<input checked="" type="radio"/>	N/O	11. Proper reheating procedures for hot holding		4	
PROTECTION FROM CONTAMINATION					
<input checked="" type="radio"/>	N/O	12. Returned and re-service of food			2
<input checked="" type="radio"/>		13. Food: unadulterated, no spoilage, no contamination		4	2
<input checked="" type="radio"/>	N/O	14. Food contact surfaces: clean and sanitized 200 ppm Quat / No active warewashing		4	2

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
<input checked="" type="radio"/>		15. Food obtained from approved sources		4	2
<input checked="" type="radio"/>	N/O	16. Compliance with shell stock tags, condition, display			2
<input checked="" type="radio"/>	N/O	17. Compliance with Gulf Oyster regulations			2
CONFORMANCE WITH APPROVED PROCEDURES					
<input checked="" type="radio"/>		18. Compliance with variance, specialized process, and HACCP plan			2
CONSUMER ADVISORY					
<input checked="" type="radio"/>		19. Written disclosure and reminder statements provided for raw or undercooked foods			1
SCHOOL AND HEALTHCARE PROHIBITED FOODS					
<input checked="" type="radio"/>		20. Licensed health care facilities / public and private schools; prohibited foods not offered		4	2
WATER / HOT WATER					
<input checked="" type="radio"/>		21. Hot and cold water available Water Temperature °F	<input checked="" type="radio"/>	4	2
LIQUID WASTE DISPOSAL					
<input checked="" type="radio"/>		22. Sewage and wastewater properly disposed		4	2
VERMIN					
<input checked="" type="radio"/>		23. No rodents, insects, birds, or animals		4	2
<input checked="" type="radio"/>	N/A	24. Vermin proofing, air curtains, self-closing doors			1

SUPERVISION / PERSONAL CLEANLINESS		OUT
25. Person in charge present and performs duties, demonstration of knowledge		2
26. Personal cleanliness and hair restraints		1
GENERAL FOOD SAFETY REQUIREMENTS		
27. Approved thawing methods, frozen food storage		1
28. Food separated and protected from contamination		2
29. Washing fruits and vegetables		1
30. Toxic substances properly identified, stored, used		1
FOOD STORAGE / DISPLAY / SERVICE		
31. Adequate food storage; food storage containers identified		1
32. Consumer self-service		1
33. Food properly labeled; honestly presented; menu labeling		1

EQUIPMENT / UTENSILS / LINENS		OUT
34. Utensils and equipment approved, good repair		1
35. Warewashing: installed, maintained, proper use, test materials		1
36. Equipment / utensils: installed, clean, adequate capacity		1
37. Equipment, utensils, and linens: storage and use		1
38. Adequate ventilation and lighting; designated areas, use		1
39. Thermometers provided and accurate		1
40. Wiping cloths: properly used and stored		1
PHYSICAL FACILITIES		
41. Plumbing: properly installed, good repair		1
42. Refuse properly disposed; facilities maintained		1
43. Toilet facilities: properly constructed, supplied, cleaned		1
44. Premises; personal item storage and cleaning item storage		1

PERMANENT FOOD FACILITIES		OUT
45. Floors, walls, ceilings: good repair / fully enclosed		1
46. Floors, walls, and ceilings: clean		1
47. No unapproved private homes / living or sleeping quarters		1
SIGNS / REQUIREMENTS		
48. Last inspection report available		
49. Food Handler certifications available, current, and complete		1
50. Grade card and signs posted, visible		
COMPLIANCE AND ENFORCEMENT		
51. Plans approved / submitted		
52. Permit available / current		
53. Permit suspended / revoked		1
54. Voluntary condemnation		
55. Impound		



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Lone Palm Bar	DATE 6/7/2022	PERMIT # PR0068443
--------------------------------	------------------	-----------------------

6. ADEQUATE HANDWASHING FACILITIES SUPPLIED & ACCESSIBLE

POINTS

2

Inspector Comments: Observed no hand soap dispenser and paper hand towels at the back handwash sink.

Provide and maintain hand soap and hand towels to all handwash sinks at all times.

Observed the bar handwash sink basin to be obstructed with utensils.

Maintain all handwash sinks fully accessible and free of obstruction at all times.

Violation Description: Adequate facilities exclusively for handwashing shall be provided in food preparation areas and within toilet rooms. Handwashing soap, and towels or drying device, shall be provided in dispensers. Handwashing facilities shall be clean, unobstructed, and accessible at all times for employee use. (113953, 113953.1, 113953.2, 114067(f), 114143 (e))

21. HOT AND COLD WATER AVAILABLE

⚠ CRITICAL ⚠

POINTS

4

Inspector Comments: Observed no running cold or hot water at the facility. The water supply was shut off due to a maintenance/ repair service in a separate building where the water supply line is shared. At this time of inspection, the Lone Palm Bar was not open for service to the public and closed. A Facility Closure sign was posted at the entrance door to the bar. Call this Department at (760) 320-1048 or email ephan@rivco.org for a reinspection to verify compliance and reopen the facility. Refer to Violation 53.

Maintain cold water and hot water at a minimum of 120F at the facility.

Violation Description: An adequate, protected, pressurized, potable supply of hot water and cold water shall be provided at all times. Hot water of at least 120°F must be provided for facilities with unpackaged food or packaged potentially hazardous food. Handwashing facilities shall be equipped to provide warm water for at least 15 seconds. (113953(c), 114189, 114192 (a,d), 114192.1, 114195)

36. EQUIPMENT / UTENSILS PROPERLY INSTALLED, CLEAN;ADEQUATE CAPACITY

POINTS

1

Inspector Comments: Observed the following areas in need of cleaning:

- Ice machine.
- Food preparation/ contact surfaces.
- Floors underneath the storage rack, refrigerator, and 3 compartment sink.

Clean and sanitize the areas. Ensure that food contact surfaces are cleaned, rinsed, and sanitized before the start of operation.

Violation Description: All utensils and equipment shall be clean and installed in an approved manner. Equipment type and quantity shall be adequate for the operation.(114115, 114130.3, 114139, 114153, 114163, 114165, 114167, 114169, 114175, 114180, 114182, 114257)

37. EQUIPMENT, UTENSILS, LINENS: STORAGE AND USE

POINTS

1

Inspector Comments: Observed open beer taps at the exterior bar.

Provide a cover/ close off beer taps when not in use.

Violation Description: Utensils and equipment shall be handled and stored in an approved manner, protected from contamination. All clean and soiled linen shall be properly stored. (114067(h), 114074, 114081, 114083, 114119, 114121, 114143(a-b), 114161, 114172, 114178, 114179, 114185, 114185.2, 114185.3, 114185.4, 114185.5)

45. FLOORS, WALLS, CEILING: GOOD REPAIR / FULLY ENCLOSED

POINTS

1

Inspector Comments: Observed no covers or enclosure protection at this exterior bar. Debris accumulation was observed at the floors and equipment of this facility. Per department files, this facility was approved for use under the condition that a cover is fully enclosing the bar when not in use during non-operating hours.

Provide a cover or other approved method of enclosure at the bar and close properly when not in use.

Violation Description: The floors, walls, ceilings finishes must be of an approved material, durable, smooth, nonabsorbent, and easily cleanable. Food facilities shall be fully enclosed. (114143 (d), 114257, 114266, 114268, 114271, 114272)



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Lone Palm Bar	DATE 6/7/2022	PERMIT # PR0068443
--------------------------------	------------------	-----------------------

53. PERMIT SUSPENDED / REVOKED

POINTS

0

Inspector Comments: This facility has been closed for no availability of hot or cold water. As the cleaning chemical containers at the 3 compartment sink are hooked up to the water line, no chemicals can be dispensed at the 3 compartment sink. A facility closure sign has been posted at the entrance door of the bar.

Contact this Department at (760) 320-1048 or email ephan@rivco.org for a reinspection.

A reinspection will be conducted to verify the following:

- Availability of cold water and hot water at a minimum temperature of 120F.
- Ability to wash, rinse, and sanitize at the 3 compartment and appropriate sanitizer concentration levels at the sanitizer dispenser.

Violation Description: If an imminent health hazard is observed, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed. (114405, 114409)

Overall Inspection Comments

This was a joint inspection conducted with S. Sidwell.

Did you know that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 171425 of the Civil Code and Sections 114432 to 114434 inclusive of the Health and Safety Code. For more information visit our website at www.rivcoeh.org.

Signature

Signature not captured due to
COVID 19 pandemic.

Jack Barnes
Person in Charge
06/07/2022

Emmily Phan
Environmental Health Specialist
06/07/2022

REASONS FOR IMMEDIATE CLOSURE OF A FOOD FACILITY

Per California Health and Safety Code Section 114409 (a):

"If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, Per California Health and Safety Code Section 114411:

"The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

No foil or cardboard
on shelves!



PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS

Ready-to-Eat
Food

Cooked
Food

Raw Meat,
Raw Eggs

Store cooked and ready-to-eat food above raw food to avoid cross-contamination.
Keep all food covered to prevent contamination

MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A THREE COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink. Use one of the following sanitizing methods:
 - 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
 - 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
 - 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
 - Water at a temperature of 171°F for a minimum of 30 seconds in solution
5. **AIR DRY** all items on the drain board.



PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

TIME IS THE KEY FACTOR IN PROPER COOLING

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper timeframes.

PROPER FOOD THAWING METHODS



1. Under refrigeration
2. In a microwave oven on "defrost"
3. Submerged under cold running water in an approved preparation sink for no longer than 2 hours
4. As part of the cooking process



INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

135°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	155°F for 15 seconds	155°F for 15 seconds	165°F for 15 seconds	165°F for 15 seconds

Food temperature cannot be felt - use your probe thermometer!



FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

BLYTHE
260 N Broadway
Blythe, CA 92225
Phone 760-921-5090
Fax 760-921-5085

CORONA
2275 S Main St #204
Corona, CA 92882
Phone 951-273-9140
Fax 951-520-8319

HEMET
800 S Sanderson Ave #200
Hemet, CA 92545
Phone 951-766-2824
Fax 951-766-7874

INDIO
47-950 Arabia St #A
Indio, CA 92201
Phone 760-863-8287
Fax 760-863-8303

MURRIETA
30135 Technology Dr #250
Murrieta, CA 92563
Phone 951-461-0284
Fax 951-461-0245

PALM SPRINGS
554 S Paseo Dorotea
Palm Springs, CA 92264
Phone 760-320-1048
Fax 760-320-1470

RIVERSIDE
4065 County Circle Dr #104
Riverside, CA 92503
Phone 951-358-5172
Fax 951-358-5017