



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Babaloo Lounge LLC				DATE 6/3/2021		TIME IN 11:00 AM		TIME OUT 11:35 AM	
ADDRESS 73833 Hwy 111, Palm Desert, CA 92260				FACILITY DESCRIPTION Not Applicable					
PERMIT HOLDER Babaloo Lounge LLC				EMAIL babaloolounge@gmail.com				Major Violations 0	
PERMIT # PR0004829	EXPIRATION DATE 03/31/2023	SERVICE Routine inspection	REINSPECTION DATE 10/03/2021	FACILITY PHONE # (760)895-4186	PE 3622	DISTRICT 0032	INSPECTOR NAME Yanet Monroy	Points Deducted 7	

The conditions listed below correspond to violations of the California Health and Safety Code and/or Riverside County Ordinances and must be corrected as indicated by the enforcement officer. The Department of Environmental Health appreciates your cooperation.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge determined by Riverside County Ordinance 640.

Major / Minor Violations: Major Violations are those that pose an imminent risk to public health and warrant immediate closure of the food facility or immediate correction. Minor Violations are those violations that do not pose an imminent public health risk, but do warrant correction.
GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 Passed inspection / meets minimum health standards. B = 89-80 Did not pass inspection / does not meet minimum health standards. C = 79-0 Failed inspection / conditions exist which may pose a potential or actual threat to public health and safety. The facility is required to display a grade card in a conspicuous place selected by the Enforcement Officer. The grade card shall not be concealed and can only be removed or relocated by the Enforcement Officer per County Ordinance 492 / County Code Section 8.40.020

A
SCORE 93

☒ In = In compliance ☒ COS = Corrected on-site ☐ N/O = Not observed ☐ N/A = Not applicable ☐ OUT = Out of compliance

DEMONSTRATION OF KNOWLEDGE			COS	MAJ	OUT
<input checked="" type="radio"/> In	N/A	1. Food safety certification			2
EMPLOYEE HEALTH AND HYGIENIC PRACTICES					
<input checked="" type="radio"/> In		2. Communicable disease; reporting, restrictions and exclusions		4	
<input checked="" type="radio"/> In	<input type="radio"/> N/O	3. No persistent discharge from eyes, nose, and mouth			2
<input checked="" type="radio"/> In	N/O	4. Proper eating, tasting, drinking or tobacco use			2
PREVENTING CONTAMINATION BY HANDS					
<input checked="" type="radio"/> In	N/O	5. Hands clean and properly washed; gloves used properly		4	2
<input checked="" type="radio"/> In		6. Adequate handwashing facilities supplied and accessible			2
TIME AND TEMPERATURE RELATIONSHIPS					
<input checked="" type="radio"/> In	N/O	N/A	7. Proper hot and cold holding temperatures	4	<input checked="" type="radio"/> 2
<input checked="" type="radio"/> In	N/O	<input type="radio"/> N/A	8. Time as a public health control; procedures and records	4	2
<input checked="" type="radio"/> In	<input type="radio"/> N/O	N/A	9. Proper cooling methods	4	2
<input checked="" type="radio"/> In	N/O	N/A	10. Proper cooking time and temperature	4	2
<input checked="" type="radio"/> In	N/O	N/A	11. Proper reheating procedures for hot holding	4	
PROTECTION FROM CONTAMINATION					
<input checked="" type="radio"/> In	N/O	N/A	12. Returned and re-service of food		2
<input checked="" type="radio"/> In			13. Food: unadulterated, no spoilage, no contamination	4	2
<input checked="" type="radio"/> In	N/O	N/A	14. Food contact surfaces: clean and sanitized	4	2
Ammonia 200 ppm /					

FOOD FROM APPROVED SOURCES			COS	MAJ	OUT
<input checked="" type="radio"/> In		15. Food obtained from approved sources		4	2
<input checked="" type="radio"/> In	N/O	<input type="radio"/> N/A	16. Compliance with shell stock tags, condition, display		2
<input checked="" type="radio"/> In	N/O	<input type="radio"/> N/A	17. Compliance with Gulf Oyster regulations		2
CONFORMANCE WITH APPROVED PROCEDURES					
<input checked="" type="radio"/> In	<input type="radio"/> N/A		18. Compliance with variance, specialized process, and HACCP plan		2
CONSUMER ADVISORY					
<input checked="" type="radio"/> In	<input type="radio"/> N/A		19. Written disclosure and reminder statements provided for raw or undercooked foods		1
SCHOOL AND HEALTHCARE PROHIBITED FOODS					
<input checked="" type="radio"/> In	<input type="radio"/> N/A		20. Licensed health care facilities / public and private schools; prohibited foods not offered	4	2
WATER / HOT WATER					
<input checked="" type="radio"/> In			21. Hot and cold water available	4	2
Water Temperature 120 F°F					
LIQUID WASTE DISPOSAL					
<input checked="" type="radio"/> In			22. Sewage and wastewater properly disposed	4	2
VERMIN					
<input checked="" type="radio"/> In			23. No rodents, insects, birds, or animals	4	2
<input checked="" type="radio"/> In	N/A		24. Vermin proofing, air curtains, self-closing doors		1

SUPERVISION / PERSONAL CLEANLINESS		OUT
25. Person in charge present and performs duties, demonstration of knowledge		2
26. Personal cleanliness and hair restraints		1
GENERAL FOOD SAFETY REQUIREMENTS		
27. Approved thawing methods, frozen food storage		1
28. Food separated and protected from contamination		2
29. Washing fruits and vegetables		1
30. Toxic substances properly identified, stored, used		1
FOOD STORAGE / DISPLAY / SERVICE		
31. Adequate food storage; food storage containers identified		1
32. Consumer self-service		1
33. Food properly labeled; honestly presented; menu labeling		1

EQUIPMENT / UTENSILS / LINENS		OUT
34. Utensils and equipment approved, good repair		<input checked="" type="radio"/> 1
35. Warewashing: installed, maintained, proper use, test materials		1
36. Equipment / utensils: installed, clean, adequate capacity		<input checked="" type="radio"/> 1
37. Equipment, utensils, and linens: storage and use		1
38. Adequate ventilation and lighting; designated areas, use		<input checked="" type="radio"/> 1
39. Thermometers provided and accurate		1
40. Wiping cloths: properly used and stored		1
PHYSICAL FACILITIES		
41. Plumbing: properly installed, good repair		<input checked="" type="radio"/> 1
42. Refuse properly disposed; facilities maintained		1
43. Toilet facilities: properly constructed, supplied, cleaned		1
44. Premises; personal item storage and cleaning item storage		1

PERMANENT FOOD FACILITIES		OUT
45. Floors, walls, ceilings: good repair / fully enclosed		1
46. Floors, walls, and ceilings: clean		<input checked="" type="radio"/> 1
47. No unapproved private homes / living or sleeping quarters		1
SIGNS / REQUIREMENTS		
48. Last inspection report available		
49. Food Handler certifications available, current, and complete		1
50. Grade card and signs posted, visible		
COMPLIANCE AND ENFORCEMENT		
51. Plans approved / submitted		
52. Permit available / current		
53. Permit suspended / revoked		
54. Voluntary condemnation		
55. Impound		



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Babaloo Lounge LLC	DATE 6/3/2021	PERMIT # PR0004829
-------------------------------------	------------------	-----------------------

7. PROPER HOT & COLD HOLDING TEMPERATURES

POINTS

2

Inspector Comments: Potentially hazardous foods shall be held at or below 41°F or at or above 135°F.

-Observed several potentially hazardous foods out of temperature at time of inspection.

Raw chicken, shrimp, tuna and sliced tomatoes with temperatures ranging between 44-52 F.

Per employees, food products had recently been removed from the walk in cooler and had just been stored at flip top unit at cook's line.

Instructed employees to rapidly cool products inside the walk in cooler, tuna was voluntarily discarded at time of inspection.

Violation Description: Potentially hazardous food shall be held at or below 41°F / 45°F or at or above 135°F. Potentially hazardous food removed from proper holding temperature during preparation must be returned to proper temperature within 2 hours. Potentially hazardous food shall be received at proper temperature without evidence of temperature abuse. (113996, 113998, 114037)

34. UTENSILS AND EQUIPMENT APPROVED, GOOD REPAIR

POINTS

1

Inspector Comments: Maintain equipment in good repair.

-Observed water pooling inside reach in refrigerator at cook's line.

Repair leak and ensure water does not leak inside refrigeration units.

-Observed gaps between hood filters and filters to be bent.

Eliminate gaps between hood filters and repair filters that are bent.

-Observed three compartment sink at bar to not be draining. Water was being backed up into all three compartments.

Ensure sink drains properly into floor sink.

-Observed milk crates being used as shelving inside the walk in freezer.

Only use approved shelving for storing, milk crates are not smooth and easily cleanable.

Violation Description: All utensils and equipment shall be approved and in good repair. (114130, 114130.1-114130.6, 114132, 114133, 114137, 114175, 114177, 114257)

36. EQUIPMENT / UTENSILS PROPERLY INSTALLED, CLEAN;ADEQUATE CAPACITY

POINTS

1

Inspector Comments: All equipment and utensils shall be kept clean and free of an accumulation of dust, dirt, food residue, and other debris.

-Observed reach in refrigeration units at cook's line to have food debris inside, units are currently not being used per employees.

Maintain all equipment clean and free of any type of accumulation.

-Observed hood filters to have grease and dust accumulation.

Ensure all hood filters are cleaned as often as needed.

-Observed hood walls at main cook's line to be blacked with grease accumulation and ansul system to have droplets of grease.

Clean hood walls and maintain free of grease accumulation, ensure that the ansul system is also cleaned. Droplets formed on ansul system and hood walls can potentially contaminate food products at cook's line.

Violation Description: All utensils and equipment shall be clean and installed in an approved manner. Equipment type and quantity shall be adequate for the operation.(114115, 114130.3, 114139, 114153, 114163, 114165, 114167, 114169, 114175, 114180, 114182, 114257)

38. ADEQUATE VENTILATION & LIGHTING: DESIGNATED AREAS; USE

POINTS

1

Inspector Comments: Provide missing light bulb at hood system.

-Observed one light fixture to be missing light bulb underneath hood canopy at main cook's line.

Violation Description: Mechanical exhaust ventilation shall be provided to remove toxic gases, heat, grease, vapors, and smoke. All areas of a food facility shall have sufficient ventilation to facilitate proper food storage and provide a reasonable condition of comfort for each employee. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan. Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1)



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

FACILITY NAME Babaloo Lounge LLC	DATE 6/3/2021	PERMIT # PR0004829
-------------------------------------	------------------	-----------------------

41. PLUMBING: PROPERLY INSTALLED, GOOD REPAIR

POINTS

1

Inspector Comments: All liquid waste must drain to an approved fully functioning sewage disposal system.

-Observed floor sink to be clogged located at dishwashing area.

Floor sink was observed to be filled with dirty water and water pooling outside floor sink.

Per employees, they had tried to unclog it but they were unable to unclog floor sink.

Plumber was called and later that day was repaired and water was observed to be draining properly through floor sink.

-Observed three compartment sink located at bar to be clogged and not draining into floor sink.

Sink was also repaired by plumber later that day and was observed to be properly draining into floor sink.

Violation Description: All plumbing shall be installed in compliance with local plumbing ordinances, shall be maintained so as to prevent any contamination, and shall be kept clean, fully operative, and in good repair. All food-related equipment drain lines must discharge through an approved indirect connection. Any hose used for conveying potable water shall be made from approved material and used for no other purpose. (114171, 114189.1, 114190, 114192(b,c), 114193, 114193.1, 114199, 114201, 114269)

46. FLOORS, WALLS, AND CEILINGS: CLEAN

POINTS

1

Inspector Comments: Repair/replace ceiling tiles.

-Observed several ceiling tiles to be stained yellow at cook's line.

Eliminate dust accumulation from ceiling tiles and air vent covers.

-Observed dust accumulation on ceiling tiles and air vent covers at cook's line.

Violation Description: Floors, walls, and ceilings shall be maintained clean. (114257, 114268.1)

56. COVID 19 - FOLLOWING STATE OF CALIFORNIA GUIDELINES

POINTS

0

Inspector Comments: Observed in compliance with Industry Guidance.

Overall Inspection Comments

This was a routine inspection conducted in conjunction with a complaint investigation during the Covid-19 pandemic. This facility appears to follow industry guidance, please continue to follow all local and state orders regarding Covid-19. Facility was closed for several hours due to plumbing issues. Facility was reopened by WGANly later that day once plumbing issues were resolved, report for reopening facility was provided at time of re-check.

For resources and updates, please see the following websites:

State: <https://covid19.ca.gov>

CDC: <https://www.cdc.gov/coronavirus/2019-nCoV/index.html>

County public health: <https://www.rivcoph.org/coronavirus>

Did you know that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 171425 of the Civil Code and Sections 114432 to 114434 inclusive of the Health and Safety Code. For more information visit our website at www.rivcoeh.org.



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

<small>FACILITY NAME</small> Babaloo Lounge LLC	<small>DATE</small> 6/3/2021	<small>PERMIT #</small> PR0004829
--	---------------------------------	--------------------------------------

Signature

Signature not captured due to
COVID 19 pandemic.

Carl Ortega
Person in Charge
06/03/2021

Yanet Monroy
Environmental Health Specialist
06/03/2021

REASONS FOR IMMEDIATE CLOSURE OF A FOOD FACILITY

Per California Health and Safety Code Section 114409 (a):

"If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, Per California Health and Safety Code Section 114411:

"The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

No foil or cardboard
on shelves!



PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS

Ready-to-Eat
Food

Cooked
Food

Raw Meat,
Raw Eggs

Store cooked and ready-to-eat food above raw food to avoid cross-contamination.
Keep all food covered to prevent contamination

MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A THREE COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink. Use one of the following sanitizing methods:
 - 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
 - 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
 - 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
 - Water at a temperature of 171°F for a minimum of 30 seconds in solution
5. **AIR DRY** all items on the drain board.



PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

TIME IS THE KEY FACTOR IN PROPER COOLING

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper timeframes.

PROPER FOOD THAWING METHODS



1. Under refrigeration
2. In a microwave oven on "defrost"
3. Submerged under cold running water in an approved preparation sink for no longer than 2 hours
4. As part of the cooking process



INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

135°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	145°F for 15 seconds	155°F for 15 seconds	155°F for 15 seconds	165°F for 15 seconds	165°F for 15 seconds

Food temperature cannot be felt - use your probe thermometer!



FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

BLYTHE
260 N Broadway
Blythe, CA 92225
Phone 760-921-5090
Fax 760-921-5085

CORONA
2275 S Main St #204
Corona, CA 92882
Phone 951-273-9140
Fax 951-520-8319

HEMET
800 S Sanderson Ave #200
Hemet, CA 92545
Phone 951-766-2824
Fax 951-766-7874

INDIO
47-950 Arabia St #A
Indio, CA 92201
Phone 760-863-8287
Fax 760-863-8303

MURRIETA
30135 Technology Dr #250
Murrieta, CA 92563
Phone 951-461-0284
Fax 951-461-0245

PALM SPRINGS
554 S Paseo Dorotea
Palm Springs, CA 92264
Phone 760-320-1048
Fax 760-320-1470

RIVERSIDE
4065 County Circle Dr #104
Riverside, CA 92503
Phone 951-358-5172
Fax 951-358-5017