



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
 www.rivcoeh.org


FOOD ESTABLISHMENT INSPECTION FORM

| | | | | | |
|--|-------------------------------|---------------------------------|--|----------------------------------|-----------------------------------|
| FACILITY NAME Subway | | | DATE 3/12/2019 | TIME IN 11:40 AM | TIME OUT 12:30 PM |
| ADDRESS 3590 Central Ave #102A, Riverside, CA 92506 | | | FACILITY DESCRIPTION Not Applicable | | |
| PERMIT HOLDER Josan Inland Pacific Inc | | | EMAIL ipsingh@aol.com | | |
| PERMIT # PR0067806 | EXPIRATION DATE 07/31/2019 | SERVICE Follow-up inspection | REINSPECTION DATE Next Routine | FACILITY PHONE # (909)241-072 | PE 2620 |
| | | | | DISTRICT 0005 | INSPECTOR NAME Allison Hubbard |
| | | | | | Major Violation 0 |
| | | | | | Points 3 |

The conditions listed below correspond to violations of the California Health and Safety Code and/or Riverside County Ordinances, and must be corrected as indicated by the enforcement officer. The Department of Environmental Health appreciates your cooperation.

Failure to correct listed violation(s) prior to the designated compliance date may necessitate an additional reinspection at a charge determined by Riverside County Ordinance 640.

Major / Minor Violations: Major Violations are those that pose an imminent risk to public health and warrant immediate closure of the food facility or immediate correction. Minor Violations are those violations that do not pose an imminent public health risk, but do warrant correction.
 GRADE REPRESENTS THE FOLLOWING RANGES: A = 100-90 Passed inspection / meets minimum health standards. B = 89-80 Did not pass inspection / does not meet minimum health standards. C = 79-0 Failed inspection / conditions exist which may pose a potential or actual threat to public health and safety. The facility is required to display a grade card in a conspicuous place selected by the Enforcement Officer. The grade card shall not be concealed and can



● In = In compliance + COS = Corrected on-site ○ N/O = Not observed ○ N/A = Not applicable ○ OUT = Out of compliance

| DEMONSTRATION OF KNOWLEDGE | | | COS | MAJ | OUT |
|--|-----|---|-----|-----|-----|
| In | N/A | 1. Food safety certification SS, Joyce Mendoza, 3/7/21 | | | 2 |
| EMPLOYEE HEALTH AND HYGIENIC PRACTICES | | | | | |
| In | | 2. Communicable disease; reporting, restrictions and exclusions | | 4 | |
| In | N/O | 3. No persistent discharge from eyes, nose, and mouth | | | 2 |
| In | N/O | 4. Proper eating, tasting, drinking or tobacco use | | | 2 |
| PREVENTING CONTAMINATION BY HANDS | | | | | |
| In | N/O | 5. Hands clean and properly washed; gloves used properly | | 4 | 2 |
| In | | 6. Adequate handwashing facilities supplied and accessible | | | 2 |
| TIME AND TEMPERATURE RELATIONSHIPS | | | | | |
| In | N/O | N/A | | 4 | 2 |
| In | N/O | N/A | | 4 | 2 |
| In | N/O | N/A | | 4 | 2 |
| In | N/O | N/A | | 4 | 2 |
| In | N/O | N/A | | 4 | 2 |
| PROTECTION FROM CONTAMINATION | | | | | |
| In | N/O | N/A | | | 2 |
| In | | 13. Food: unadulterated, no spoilage, no contamination | | 4 | 2 |
| In | N/O | N/A | | 4 | 2 |

| FOOD FROM APPROVED SOURCES | | | COS | MAJ | OUT |
|--|-----|--|-----|-----|-----|
| In | | 15. Food obtained from approved sources | | 4 | 2 |
| In | N/O | N/A | | | 2 |
| In | N/O | N/A | | | 2 |
| CONFORMANCE WITH APPROVED PROCEDURES | | | | | |
| In | N/A | 18. Compliance with variance, specialized process, and HACCP | | | 2 |
| CONSUMER ADVISORY | | | | | |
| In | N/A | 19. Written disclosure and reminder statements provided for raw or undercooked foods | | | 1 |
| SCHOOL AND HEALTHCARE PROHIBITED FOODS | | | | | |
| In | N/A | 20. Licensed health care facilities / public and private schools; prohibited foods not offered | | 4 | 2 |
| WATER / HOT WATER | | | | | |
| In | | 21. Hot and cold water available Water Temperature 120F at 3C°F | | 4 | 2 |
| LIQUID WASTE DISPOSAL | | | | | |
| In | | 22. Sewage and wastewater properly disposed | | 4 | 2 |
| VERMIN | | | | | |
| In | | 23. No rodents, insects, birds, or animals | | 4 | 2 |
| In | N/A | 24. Vermin proofing, air curtains, self-closing doors | | | 1 |

| SUPERVISION / PERSONAL CLEANLINESS | OUT |
|--|-----|
| 25. Person in charge present and performs duties, demonstration of knowledge | 2 |
| 26. Personal cleanliness and hair restraints | 1 |
| GENERAL FOOD SAFETY REQUIREMENTS | |
| 27. Approved thawing methods, frozen food storage | 1 |
| 28. Food separated and protected from contamination | 2 |
| 29. Washing fruits and vegetables | 1 |
| 30. Toxic substances properly identified, stored, used | 1 |
| FOOD STORAGE / DISPLAY / SERVICE | |
| 31. Adequate food storage; food storage containers identified | 1 |
| 32. Consumer self-service | 1 |
| 33. Food properly labeled; honestly presented; menu labeling | 1 |

| EQUIPMENT / UTENSILS / LINENS | OUT |
|--|-----|
| 34. Utensils and equipment approved, good repair | 1 |
| 35. Warewashing: installed, maintained, proper use, test materials | 1 |
| 36. Equipment / utensils: installed, clean, adequate capacity | 1 |
| 37. Equipment, utensils, and linens: storage and use | 1 |
| 38. Adequate ventilation and lighting; designated areas, use | 1 |
| 39. Thermometers provided and accurate | 1 |
| 40. Wiping cloths: properly used and stored | 1 |
| PHYSICAL FACILITIES | |
| 41. Plumbing; properly installed, good repair | 1 |
| 42. Refuse properly disposed; facilities maintained | 1 |
| 43. Toilet facilities: properly constructed, supplied, cleaned | 1 |
| 44. Premises; personal item storage and cleaning item storage | 1 |

| PERMANENT FOOD FACILITIES | OUT |
|--|-----|
| 45. Floors, walls, ceilings: good repair / fully enclosed | 1 |
| 46. Floors, walls, and ceilings: clean | 1 |
| 47. No unapproved private homes / living or sleeping quarters | 1 |
| SIGNS / REQUIREMENTS | |
| 48. Last inspection report available | |
| 49. Food Handler certifications available, current, and complete | 1 |
| 50. Grade card and signs posted, visible | |
| COMPLIANCE AND ENFORCEMENT | |
| 51. Plans approved / submitted | |
| 52. Permit available / current | |
| 53. Permit suspended / revoked | |
| 54. Voluntary condemnation | |
| 55. Impound | |



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

| | | |
|-------------------------|-------------------|-----------------------|
| FACILITY NAME Subway | DATE 3/12/2019 | PERMIT # PR0067806 |
|-------------------------|-------------------|-----------------------|

24. VERMIN PROOFING, AIR CURTAINS, SELF-CLOSING DOORS

POINTS

1

Inspector Comments: Observed the air curtain not functioning. Ensure the air curtain properly functions when the door is opened.

Violation Description: Each food facility shall be constructed, equipped, maintained, and operated to prevent the entrance and harborage of animals, including birds and vermin. (114259, 114259.2, 114259.3)

38. ADEQUATE VENTILATION & LIGHTING: DESIGNATED AREAS; USE

POINTS

1

Inspector Comments: Observed no shatterproof protection over the light bulb over the storage rack. Ensure all lights in the kitchen are shatterproof protected.

Observed the fan in the restroom not functioning. Ensure the fan is repaired in an approved manner.

At time of inspection observed the ventilation system in the facility operating but not the air conditioning. Facility has been conditionally opened granted that the ventilation system in the facility is in good working order as stated in the CA Retail Food Code: 114149 All areas of a food facility shall have sufficient ventilation to facilitate proper food storage and to provide a reasonable condition of comfort for each employee, consistent with the job performed by the employee. Ensure that the temperature in the facility does not exceed proper food storage temperatures and/or a reasonable condition of comfort for the employees or the facility must voluntarily close. Facility is not approved to use the steam buns, toaster oven, or bread ovens until a recheck. Operator has been granted a two week recheck to repair the air conditioning in an approved manner set for 3/26/19.

Violation Description: Mechanical exhaust ventilation shall be provided to remove toxic gases, heat, grease, vapors, and smoke. All areas of a food facility shall have sufficient ventilation to facilitate proper food storage and provide a reasonable condition of comfort for each employee. Toilet rooms shall be vented to the outside air by a screened openable window, an air shaft, or a light-switch activated exhaust fan. Adequate lighting shall be provided in all areas to facilitate cleaning and inspection. Light fixtures in areas where open food is stored, served, prepared, and where utensils are washed shall be of shatterproof construction or protected with light shields. (114149, 114149.1, 114149.2, 114149.3, 114252, 114252.1)

49. FOOD HANDLER CERTIFICATIONS AVAILABLE, CURRENT, COMPLETE

POINTS

1

Inspector Comments: Observed a missing food handler card for an employee who was working in the facility. Ensure all employees have approved food handler cards and that they are posted on site.

Violation Description: County of Riverside Environmental Health Food Handler Certification(s) are available and current for all employees who prepare, store, or serve exposed food. (Riverside County Ordinance 567)



County of Riverside
DEPARTMENT OF ENVIRONMENTAL HEALTH
www.rivcoeh.org

FOOD ESTABLISHMENT INSPECTION FORM

| | | |
|-------------------------|-------------------|-----------------------|
| FACILITY NAME Subway | DATE 3/12/2019 | PERMIT # PR0067806 |
|-------------------------|-------------------|-----------------------|

Overall Inspection Comments

This facility was conducted due to the downgrade of the facility on 3/7/19. "B" placard removed and "A" placard posted. Questions contact Allison Hubbard at 951-358-5172.

Did you know that effective January 1, 2018, the California Health and Safety Code was amended to make it easier for food facilities to donate food? Please consider donating your excess food product to a local food bank, pantry, or soup kitchen. As a good faith food donor, you are protected from civil and criminal liability if the food product later causes harm to its recipient, unless the injury is a direct result of gross negligence or intentional misconduct in the preparation or handling of the donated food. See Section 171425 of the Civil Code and Sections 114432 to 114434 inclusive of the Health and Safety Code. For more information visit our website at www.rivcoeh.org.

Signature

Ganesh
Person in Charge
03/12/2019

Allison Hubbard
Environmental Health Specialist
03/12/2019

REASONS FOR IMMEDIATE CLOSURE OF A FOOD FACILITY

Per California Health and Safety Code Section 114409 (a):
 "If any imminent health hazard is found, unless the hazard is immediately corrected, an enforcement officer may temporarily suspend the permit and order the food facility immediately closed."

A food facility may be closed for any of the following reasons:

- Overflowing sewage (inside or outside the facility)
- No potable water
- No hot water
- No electricity
- Rodent or insect infestation
- Any other conditions at the facility that may create an imminent public health risk

In addition to the reasons above, Per California Health and Safety Code Section 114411:

"The enforcement agency may, after providing opportunity for a hearing, modify, suspend, or revoke a permit for serious or repeated violations of any requirement of this part or for interference in the performance of the duty of the enforcement officer."

PROPER FOOD STORAGE IN REFRIGERATORS AND FREEZERS

Ready-to-Eat Food

Cooked Food

Raw Meat, Raw Eggs

Store cooked and ready-to-eat food above raw food to avoid cross-contamination. Keep all food covered to prevent contamination.

MANUAL SANITIZING OF EQUIPMENT AND UTENSILS USING A THREE COMPARTMENT SINK

1. **SCRAPE**, clean, or soak items as necessary before washing.
2. **WASH** items in detergent and hot water of at least 100°F in the first sink.
3. **RINSE** items in clear water in the second sink.
4. **SANITIZE** by submerging each item in a sanitizing solution in the third sink. Use one of the following sanitizing methods:
 - 100ppm of a chlorine based sanitizer for a minimum of 30 seconds in the solution
 - 200ppm of a quaternary ammonium based sanitizer for a minimum of 60 seconds in the solution
 - 25ppm of an iodine based sanitizer for a minimum of 60 seconds in the solution
 - Water at a temperature of 171°F for a minimum of 30 seconds in solution
5. **AIR DRY** all items on the drain board.



PROPER COOLING OF FOOD IN YOUR FACILITY

Potentially hazardous foods should always be rapidly cooled.

TIME IS THE KEY FACTOR IN PROPER COOLING

- Foods must cool from 135°F to 70°F in 2 hours or less
- Foods must cool from 70°F to 41°F in 4 hours or less

Use one of the following methods to cool food properly:

- Break large foods down into smaller portions and place in shallow pans no more than 4 inches deep. Metal pans cool better than glass or plastic pans.
- Add ice as an ingredient to replace water used in the recipe.
- Place foods within an ice bath and frequently stir the foods to speed the cooling process.
- Loosely cover foods so that heat and steam can escape during cooling.
- Arrange containers within a refrigeration unit so that air can flow properly around containers.
- Use special equipment like chill paddles or blast chillers to rapidly bring down food temperature.

Use an accurate thermometer to verify the food is being cooled within proper timeframes.

PROPER FOOD THAWING METHODS

1. Under refrigeration
2. In a microwave oven on "defrost"
3. Submerged under cold running water in an approved preparation sink for no longer than 2 hours
4. As part of the cooking process

INTERNAL COOKING TEMPERATURES

Use a probe thermometer to take internal cooking temperatures

| | | | | | | | |
|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|--------------------------------|
| | | | | | | | |
| 135°F for 15 seconds | 145°F for 15 seconds | 145°F for 15 seconds | 145°F for 15 seconds | 155°F for 15 seconds | 155°F for 15 seconds | 165°F for 15 seconds | 165°F for 15 seconds |

Food temperature cannot be felt - use your probe thermometer!

FOOD ALLERGENS

THE MAJOR 8

FOR QUESTIONS OR COMMENTS CONTACT YOUR LOCAL AREA OFFICE

| | | | | | | |
|---|--|---|--|---|--|---|
| BLYTHE 260 N Broadway Blythe, CA 92225 Phone 760-921-5090 Fax 760-921-5085 | CORONA 2275 S Main St #204 Corona, CA 92882 Phone 951-273-9140 Fax 951-520-8319 | HEMET 800 S Sanderson Ave #200 Hemet, CA 92545 Phone 951-766-2824 Fax 951-766-7874 | INDIO 47-950 Arabia St #A Indio, CA 92201 Phone 760-863-8287 Fax 760-863-8303 | MURRIETA 30135 Technology Dr #250 Murrieta, CA 92563 Phone 951-461-0284 Fax 951-461-0245 | PALM SPRINGS 554 S Paseo Dorotea Palm Springs, CA 92264 Phone 760-320-1048 Fax 760-320-1470 | RIVERSIDE 4065 County Circle Dr #104 Riverside, CA 92503 Phone 951-358-5172 Fax 951-358-5017 |
|---|--|---|--|---|--|---|